Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRINCETON PRODUCTS WM FLEMER JR.

PRINCETON NURSERIES

Wholesale Price List FALL 1950 — SPRING 1951

William Flemer's Sons, Inc.

Princeton, N. J.

Telephone 1776



FOREWORD

It is decidedly to your advantage to purchase material where it can be obtained reasonably and in good assortment.

Our listing of ornmental stock is very complete. Our delivery service covers a large area and charges are reasonable.

Your expenses can be greatly reduced and your profits made larger by buying at Princeton.

EARLY PURCHASE ASSURES BETTER ASSORTMENT

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.

WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITORS.

PRINCETON NURSERIES

Princeton, New Jersey.

WM. FLEMER, JR. President

PRINCETON PRODUCTS ARE QUALITY PRODUCTS

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

	,		
Diam.		Estimated	
of ball	Size	Weight	Each
10"	18/24"	30 lbs	60
12"	2/3'	45 lbs	95
13"	3/4'	60 lbs.	
15"	4/5'	75 lbs	2.00
16"	5/6'	100 lbs.	
18"	6/8'	150 lbs.	
21"	8/10'	225 lbs	

Due to uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee to dig these sizes.

24"	2" cal.	300 lbs	6.75
28"	$2\frac{1}{2}$ cal.	750 lbs	9.25
32"	3" cal.	750 lbs	12.50
36"	$3\frac{1}{2}$ cal.	1150 lbs	
40"	4" cal.	1600 lbs	25.00
44"	4½ cal.	2100 lbs	31.25
48"	$5^{''}$ cal.	2750 lbs	37.50
54"		4000 lbs	56.00
60"		5500 lbs	75.00

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

Platform	Usual	
size	Ball Size	Charge
24" Sq.	30" to 36"	\$2.00
28" Sq.	32" to 40"	
30" Sq.	36" to 44"	2.50
32" Sq.	40" to 48"	3.00
36" Sq.	48" to 54"	3.75
40" Sq.	54" to 60"	5.00

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	32x36"
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	2.60
6'	2.10	2.40	2.85	3.60	3.90	4.50	5.40
8'	2.80	3.20	3.80	4.80	5.10	6.00	7.20
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.00
12'	4.20	4.80	5.70	7.20	7.80	9.00	10.80
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

We cannot guarantee to make deliveries, but will be glad to estimate the delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

⊌()€		e in Quan	
	1-9	10-49	50-249
ABELIA Edouard Gouchet		New	Abelia
Evergreen. Small, medium lilac-pink flo	wer.		
9 to 12 in., pots or B&B	.85	.70	.55
12 to 15 in., pots or B&B	1.10	.95	.75
15 to 18 in., pots or B&B	1.50	1.25	1.00
— grandiflora, 3'-4'		Glossy	Abelia
Evergreen. Lilac-white tinted flowers. B	looms all	summer.	
12 to 15 in., pots or B&B	.75	.60	.50
15 to 18 in., pots or B&B	1.25	1.05	.85
18 to 24 in., pots or B&B	1.65	1.35	1.10
ACANTHOPANAX pentaphylum (sieboldiam	us) 7'-8'	Fiveleaf	Aralia
Glossy, rich green foliage. Succeeds in	shaded ar	eas, north	ern ex-
posures, and dry locations. Shears well	for hedge	or screen	
18 to 24 in.	.37	.30	.25
2 to 3 ft.	.55	.45	.35
3 to 4 ft.	.70	.55	.45
4 to 5 ft	. 9 0	. 7 5	.60
ACER — — MAPLE	ES		
ACER buergerianum, 40'		Trident	Manle
Similar to Ginnala; more rapid growth.		TIMON	Maple
The state of the s			

.95

1.25

.75

1.00

1.10

1.50

2 to 3 ft.....

3 to 4 ft.....

PRINCETON NURSE	RIES		5
	Unit Pr 1-9	ice in Qua 10-49	ntities 50-249
ACER campestre, 25'		Hed	ge Maple
Corky bark. Good in dry locations in un	dergrowt		_
6 to 8 ft	4.00	3.35	2.65
8 to 10 ft.	4.90	4.05	3.25
— dasycarpum, 60'-80'		Silv	er Maple
Quick growing, graceful. Leaves silvery	underne	ath.	
6 to 8 ft	1.10	.95	.75
8 to 10 ft., 1 to 1¼ in		1.25	1.00
ginnala, 10'-12'		Am	ur Maple
Compact growing. Excellent fall colorin	g. Very h		-
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
6 to 8 ft		1.90	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	$\frac{3.75}{1.15}$	$\frac{3.00}{0.5}$	2.50
12 to 14 ft	7.15	5.85	4.75
negundo, 60'			Boxelde
Succeeds under adverse conditions. Goo		hore locat	ions.
10 to 12 ft., 1½ to 1¾ in		2.20	•
10 to 12 ft., 1 ¾ to 2 in	3.40	2.80	-
JAPANESE MAPL	ÆS		
JAPANESE MAPL — palmatum atropurpureum, 6'-8'		inese Red	Maple
	Japa		_
— palmatum atropurpureum, 6'-8'	Japa		_
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r	Japa		_
 palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 	Japa ed leaves	all summe	er.
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa ed leaves 2.60	all summe	er. 1.75
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40	2.20 2.80	1.75 2.25
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50	2.20 2.80 3.75	1.75 2.25 3.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00	2.20 2.80 3.75 5.00	1.75 2.25 3.00 4.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75	2.20 2.80 3.75 5.00	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 2.00 2.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 3 ft., B&B. — nigrum, 6'-8' A select strain of purple Japanese Maple 12 to 15 in., B&B or pots. 15 to 18 in., B&B or pots. 15 to 18 in., B&B or pots. 18 to 24 in., B&B. — platanoides, 50'-75' Most popular for street planting. Dark 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1½ to 1½ in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 2.50 3.50
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 3 ft., B&B. —— nigrum, 6'-8' A select strain of purple Japanese Mapl 12 to 15 in., B&B or pots. 15 to 18 in., B&B or pots. 15 to 18 in., B&B or pots. 18 to 24 in., B&B. — platanoides, 50'-75' Most popular for street planting. Dark is 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 3.50 5.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwatage. 2.50 3.00 4.40 6.00 7.50	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 3.50 6.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 3 ft., B&B. — — nigrum, 6'-8' A select strain of purple Japanese Mapl 12 to 15 in., B&B or pots. 15 to 18 in., B&B or pots. 18 to 24 in., B&B. — platanoides, 50'-75' Most popular for street planting. Dark 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 13 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwates 2.50 3.00 4.40 6.00 7.50 10.00	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 3.50 6.00 8.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00 30.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwatage. 2.50 3.00 4.40 6.00 7.50	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 6.00 8.00 22.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwates 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 6.00 8.00 22.00 26.00
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purpler Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa age. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 nar Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purple-r Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa age. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 nar Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple
— palmatum atropurpureum, 6'-8' A good dwarf tree with rich purpler Best in sun. 12 to 15 in., B&B	Japa red leaves 2.60 3.40 4.50 6.00 le with da 3.00 3.75 5.25 green foli 3.00 3.75 5.25 7.50 9.00 12.00 30.00 40.00 Colum Very use	2.20 2.80 3.75 5.00 arker leave 2.50 3.00 4.40 Norwa age. 2.50 3.00 4.40 6.00 7.50 10.00 26.00 32.00 nar Norwa	er. 1.75 2.25 3.00 4.00 es. 2.00 2.50 3.50 6.00 8.00 22.00 26.00 ay Maple




NORWAY MAPLE—When it comes to shade trees, most people say "Princeton."

	Unit Price in Quantities		
	1-9	10-49	50-249
ACER platanoides schwedleri, 40'-60'		Schwedle	er Maple
Purple leaved Norway Maple.			
6 to 8 ft	3.75		2.50
8 to 10 ft	5.25	4.40	3.50
8 to 10 ft., 1 1/4 to 1 1/2 in	7.50	6.00	
9 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	9.00	7.50	6.00
— rubrum, 50'-75'	Red	d or Scarle	et Maple
Brilliant fall coloring. Excellent in damp	p location	ns.	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in.	3.40	2.80	2.25
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	3.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.00	4.00
11 to 13 ft. 1 3/4 to 2 in	7.50	6.00	5.00
12 to 14 ft., 2 to 2½ in	10.00	8.00	6.50
— saccharum, 50'-75'		Suga	ar Maple
A stately, long lived tree. Rich autumn in most locations.	coloring	. Very sati	isfactory
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft., 1 to 1 1/4 in.	3.75	3.00	2.50
9 to 11 ft., 1 ½ to 1 ½ in	5.25	4.40	3.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in		6.00	
11 to 13 ft., 1 3/4 to 2 in		7.50	6.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in.	12.00		8.00

	Unit Pri	ice in Quan 10-49	tities 50-249
ACTINIDIA arguta, 20'-30'		Border A	ctinidia
Greenish white flowers in July. Rich dar Yellow berries.	k green f		ctimidia
12 to 18 in	.45	.37	
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
AESCULUS glabra, 25'		Ohio I	Buckeye
Makes a small tree of handsome appearin May. Foliage turns yellow in fall.	rance w	ith yellow	flowers
2 to 3 ft	.90	.75	
3 to 4 ft	1.20	1.00	
5 to 6 ft	2.25	1.90	
6 to 8 ft	2.90	2.40	
— hippocastanum, 60'-80'			hestnut
A beautiful symmetrical shade tree co- of white flowers against the dark green		th showy	panicles
4 to 5 ft	1.90		
6 to 8 ft	3.00		
10 to 12 ft	6.00		
AKEBIA quinata, 15'-20'		Fiveleaf	Akebia
An excellent vine. Deep green. Purple flountil winter.	wers in I	May, Holds	foliage
2 year	.55	.45	.35
ALTHEA (See HIBISCUS)			
Juneberry. Early white flowers, edible s 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	.75	fruit. .60 .70 .75	$\begin{array}{c} .50 \\ .55 \\ .60 \end{array}$
AMODDIIA foodings 2/ 4/		T 3	1 1.
AMORPHA fruticosa, 3'-4'		Ind	igobush
Deep purple flowers in June. Spreading			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
AMPELOPSIS quinquefolia, 30'-50' (Parthenocissus q.)		Virginia	Creeper
Very adaptable. Rapid growing vine. Br	illiant au	tumn colo	ring.
1 year		.15	.12
2 year	$\frac{120}{27}$	$\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }{\overset{\cdot }{}{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }{\overset{\cdot }{}}{\overset{\cdot }}{\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }}}}}{\overset{\cdot }{}}}{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }{\overset{\cdot }}{\overset{\cdot }}}}}{}}{}}}{}}{}}{}}{}{}}{}}{}}{}}{}}{}}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}{}}{}}{}}{}}{}}{}}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{}}{$.18
— — engelmanni, 30'-40'	E	ngelmann	Creeper
Excellent self-clinging vine. Richly color		-	01001
			1.0
1 year 2 year	$\begin{array}{c} .18 \\ .27 \end{array}$	$\begin{array}{c} .15 \\ .22 \end{array}$.12 $.18$
•			
— tricuspidata veitchi, 40'-50' Dense, self-clinging vine. Blue-black ber	ries.	Bos	ston Ivy
12 to 18 in., 1 year	.37	.30	.25
18 to 24 in., 2 year	.55	.45	.35
3 in. pots	.55	.45	.35
4 in. pots	.70	.55	.45

8	PRINCETON NURSE	RIES		
			rice in Quai	
		1-9	10-49	50-249
	ELOPSIS tricuspidata lowi, 6'-8'		Geranium	_
	Dwarf type of veitchi, with smaller, graceful and distinct.		cut foliage	e. Very
	3 in. pot	$\begin{matrix} .75 \\ 1.10 \end{matrix}$	$\begin{array}{c} .60 \\ .90 \end{array}$	$\begin{array}{c} .50 \\ .75 \end{array}$
AMY	GDALIS nana (See PRUNUS GLANDU)	LOSA)		
АМУ	GDALIS persica, 8' to 10'	Doubl	le Flowerin	ng Peach
	Colors: White, Pink and Red. Quick double flowers, in colors as above.	growin	g. Very a	ttractive
	2 to 3 ft	.60	.50	.40
	3 to 4 ft	$\begin{array}{c} .75 \\ .90 \end{array}$	$\begin{array}{c} extbf{.}60 \\ extbf{.}75 \end{array}$.50 $.60$
AND	ROMEDA (See PIERIS)			
	LIA pentaphyllum (See ACANTHOPAN	AX)		
ARA	LIA spinosa, 18'-20'		Herci	ules-club
	A tropical appearing tree. White flowers	in July.		
	2 to 3 ft	.45	.37	.30
	3 to 4 ft	.75	.60	$.5\overset{\circ}{0}$
	4 to 5 ft	1.00	.80	.65
	5 to 6 ft	1.30	1.10	.90
	6 to 8 ft	2.10	1.75	1.40
ARB	ORVITAE (See THUYA)			
ARO	NIA arbutifolia, 6'-8'		Red Che	okeberry
	Bright red berries in fall.			
	18 to 24 in	.55	.45	.35
	2 to 3 ft	.70	.55	.45
	3 to 4 ft	.85	.70	.55
	rilliantissima, 6'-8'		nt Red Cho	okeberry
	Similar to arbutifolia but more brilliant		4 =	0.5
	18 to 24 in. 2 to 3 ft.	$\begin{array}{c} .55 \\ .70 \end{array}$	$egin{array}{c} .45 \ .55 \end{array}$	$\begin{matrix} .35 \\ .45 \end{matrix}$
— m	elanocarpa (nigra), 8'-10'		Black Cho	okeberry
	White flowers in May, Black berries in f	fall.		
	12 to 18 in	.37	.30	.25
	18 to 24 in	.45	.37	.30
	2 to 3 ft	.60	.50	.40
	AZALEAS (RHODODEN	DRON)		
AZAI	LEA amoena (Rhodo, obtusum amoenui	m) 3'-4'	Amoen	a Azalea
	Evergreen. Conspicuous, purple-red flow a rich, bronze-green in winter.	ers. Apri	il-May. Lea	ves turn
	6 to 8 in. B&B	.90	.75	.60
	8 to 10 in., B&B	1.20	1.00	.80
	10 to 12 in., B&B	1.50	1.25	1.00
	12 to 15 in., B&B	$\begin{array}{c} 2.25 \\ 3.75 \end{array}$	$egin{array}{c} 1.90 \ 3.00 \end{array}$	$\begin{array}{c} 1.50 \\ 2.50 \end{array}$
	18 to 24 in., B&B	5.75	$\frac{3.00}{4.50}$	4.00
	10 τυ 2τ III., ΒαΒ	0.40	4.00	



AZALEA HINODEGIRI—Spaced 18" apart. No need to describe these. You can see how good they are.

	1-9	10-49	50 249
AZALEA arborescens, 10'-12'		Sweet	Azalea
Fragrant, white flowers in June.			
12 to 15 in., B&B	1.75	1.50	
15 to 18 in., B&B	2.40	2.00	
18 to 24 in., B&B	3.25	2.75	
2 to $2\frac{1}{2}$ ft., B&B	3.75		
— hinodegiri, 3'-4'		Hinodegiri	Azalea
Evergreen. Larger leaves and looser grown very bright carmine-pink; effective in magnetic dron.			
6 to 8 in., B&B	1.00	.80	.65
8 to 10 in., B&B	1.30	1.10	.90
10 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.40	2.80	2.25
— kaempferi, 4'-5'		Torch	Azaela
Warm brick-red flowers, May. Hardy and	very	desirable.	
15 to 18 in.	3.40	2.80	2.25
18 to 24 in.	4.50	3.75	3.00
2 to 2 ½ ft	6.00	5.00	4.00

2 to 2 ½ ft., B&B

2½ to 3 ft., B&B

10 PRINCETON NURSE	RIES		
PRINCETON NURSEI			
	Unit Pric	re in Quan 10-49	tities 50-249
AZALEA KAEMPFERI H	YBRIDS		
Carmen — Rose-pink flowers. 9-12"; 12-15";	; 15-18";	18-24"	
Cleopatra — Lilac-rose flowers. 9-12"; 12-15			
Louise — Light-rose flowers. 9-12"; 12-15";			2 ½ ′
Othello — Brick-red flowers. 9-12"; 12-15";			
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	$\frac{2.60}{5.50}$	$\frac{2.20}{0.00}$	1.75
15 to 18 in., B&B	$egin{array}{c} 3.50 \ 4.50 \end{array}$	$\frac{2.80}{3.75}$	$\begin{array}{c} 2.25 \\ 3.00 \end{array}$
2 to 2½ ft., B&B	6.00	5.00	4.00
KURUME AZALEAS — EV	ERGREE!	N	
Christmas Cheer — Crimson.6-9"; 9-12"; 12			
Flame — Brilliant red flowers. 9-12"; 12-15"		18-24": 2	-2 1/2 '
Hatsugiri — Bright purple flowers, compac			
18-24"	0.0	,	,
Hazel Dawson — Purplish-pink, sgl. fls. Ve 15-18"	ery hardy	9-12";	12-15";
Pink Beauty — Single soft-pink flowers. 9-1	2": 12-15	": 18-24":	2-2 1/2 '
Pink Pearl — Salmon-rose flowers, heavy blo			
Snow — Large pure white flowers. 9-12"; 12			
Yayegiri — Salmon red flowers. 9-12"; 12-15			
	,		
Kurume varieties at following prices.			
6 to 9 in., B&B 9 to 12 in., B&B	$egin{array}{c} 1.10 \ 1.50 \end{array}$	$egin{smallmatrix} .95 \ 1.25 \end{smallmatrix}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$
12 to 15 in., B&B	$\frac{1.50}{2.50}$	$\frac{1.25}{2.05}$	1.65
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.00	$\frac{4.00}{2.0}$	3.25
2 to 2½ ft., B&B	6.35	5.30	4.25
AZALEA ledifolia alba (Indica), 4'-6'		Snow	Azalea
Evergreen. Large single, white flowers			
striking background for Azalea hinode time.	giri, blooi	ming at th	ie same
12 to 15 in	2.50	2.05	1.65
15 to 18 in	3.40	$\frac{2.03}{2.80}$	2.25
18 to 24 in	5.00	4.00	3.25
— — lilacina, 4'-6'			
Single lilac flowers.			
18 to 24 in	6.00	5.00	
2 to 2 ½ ft	7.50	6.00	
— macrantha, 2½'-3'	R	ed Salmor	Azalea
Single salmon-pink flower. Blooms a mor			
Quite attractive with glossy foliage.	ireir rateir t	man most .	rizareas,
12 to 15 in., B&B			
15 to 18 in., B&B	2.60		
nudiflorum, 6'-8'		Pinxt	erbloom
A native pink Azalea or Honeysuckle in June. Very attractive and hardy.	this area	a. Blooms	early in
18 to 24 in., B&B	3.00	2.50	
2 to 2 1/2 ft B&B	4 10	3.50	

3.50

4.40

4.10



AZELEA LEDIFOLIA ALBA—We are fortunate to have such a fine lot of this scarce item.

Scarce Itelli.			
	Unit Pri 1-9	ce in Quai 10-49	ntities 50-249
AZALEA viscosa, 4'-5'		Swam	p Azalea
White flowers sometimes tinged with y Very fragrant with glossy green foliage tions.			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	4.50	3.75	
$2\frac{1}{2}$ to 3 ft., B&B	5.60	4.75	
— yodogawa (yedoense) 3'-4'		Yodogaw	a Azalea
Double, pinkish-lavender flowers, May. tional merit.	Very har	rdy and o	of excep-
9 to 12 in., B&B	1.75	1.45	1.20
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.40	2.80	2.25
BACCHARIS halimifolia, 9'-10'		Groun	dselbush
Attractive fluffy seed pods in fall. Excell	lent for se	eashore p	lanting.
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30

BAYBERRY — (See MYRICA)



BERBERIS THUNBERGI—Heavy, well-branched, bright young stock.

	1-9	10-49	50-249
BEAUTYBUSH (See KOLKWITZIA)	• •		
BEECH (See FAGUS)			
BENZOIN aestivale (LINDERA benzoin), 10'	-12′	S	picebush
Yellow flowers in spring followed by brig Spicy aromatic foliage.	ght red b	perries.	
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
BERBERIS — HARÐY EVERGREEN TYPE — julianae, 4'-6'		tergreen l	Barberry
Medium growth. Broad spined leaves.			
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 3 ½ ft., B&B	4.50	3.75	3.00
— triacanthophora, 4'-6'	Thr	ee Spine I	Barberry
Fast growth. Medium spined leaves.			
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.60	2.20	
18 to 24 in., B&B	3.40	2.80	2.25

Dwarf spreading, compact habit. Shiny foliage. Fragrant yellow

3.75

1.50 1.25 1.00

Warty Barberry

3.00

– verruculosa, 3′

flowers. Black fruits. 6 to 9 in., B&B

	Uni	it Price ir	ı Quantitic	PS .
	1-9	10-49	50-249	250-up
BERBERIS — DECIDUOUS TYPES	8			
BERBERIS thunbergi, 4'-5'		J	apanese H	Barberry
Rugged, low hedge plant, Red because of spiny growth, Rich				barrier
9 to 12 in., 2 yr. trsp	.18	.15	.12	.09
12 to 15 in., 2 yr. trsp	.22	.20	.15	.13
15 to 18 in., 2 yr. trsp	.30	.25	.20	$.17{}^{1\!\!}/_{\!\!2}$
18 to 24 in., 2 yr. trsp	.37	.30	.25	.20
2 to $2\frac{1}{2}$ ft., 3 yr. trsp	.55	.45	.35	.30
$2 \frac{1}{2}$ to 3 ft., 3 yr. trsp	.70	.55	.45	.40
— — atropurpurea, 4'-5']	Red Jap. I	Barberry
Reddish-purple type of Thunb	ergi.			
12 to 15 in	.35	$.27 \frac{1}{2}$	$.22\frac{1}{2}$.20
15 to 18 in	.42	.35	$.27\frac{1}{2}$.25
18 to 24 in	.55	.45	.35	.32 1/2
2 to 2 ½ ft	.70	.55	.45	.40
2 ½ to 3 ft	.85	.70	$\overline{.55}$.50
/ -		1-9	10-49	50-249
*BETULA alba (pendula) 30'-50'		Euro	pean Whi	te Birch
Very attractive tree with whit	e hark		powii wiii	00 211011
4 to 5 ft		.90	.75	.60
5 to 6 ft		1.20	1.00	.80
6 to 8 ft.		$\frac{1.20}{1.50}$	1.00 1.25	.00
8 to 10 ft		2.25	$\frac{1.23}{1.90}$	
10 to 12 ft		$\frac{2.23}{3.00}$	2.50	
— — laciniata (pen. laciniata), 30'			eap Weepi:	ng Birch
Deeply cut leaves. Silvery whi			branches.	
*4 to 5 ft		${\bf 2.25}$	1.90	1.50
5 to 6 ft		3.00	2.50	2.00
6 to 8 ft		4.10	3.50	2.75
* — lenta, 40'-50'			Swe	et Birch
Has attractive, smooth, reddi	sh bark, a	and cons		
spring.				
6 to 7 ft		3.00	2.50	2.00
7 to 8 ft		3.75	3.00	2.50
*— lutea, 50'-70'			Yello	w Birch
Bark silvery or light orange,	Rugged,	pictures		
habit.	,	-	_	
8 to 10 ft		3.90	$\boldsymbol{3.25}$	
10 to 12 ft		5.50	4.50	-
12 to 14 ft		7.50	6.00	
# 116 11			Q	D'1
*— populifolia, 30'-40' Thrives in poor or sandy soil. planting.	White bar	k. Desira		ay Birch ss
5 to 6 ft		1.50	1.25	1.00
6 to 8 ft		1.90	1.50	
8 to 10 ft., 1 1/4 to 1 1/2 in		2.70	2.25	
10 to 12 ft. 1½ to 1¾ in		$\frac{2.75}{3.75}$	3.00	
10 to 12 ft., 1 3/4 to 2 in		5.00	4.00	
Additional charge for multiple				
radional ondiso for mattiple	, DUCILID WO	cording t	- quartey,	

^{*} EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

14 PRINCETON NURSER	IES		
	Unit Pri 1-9	ce in Qua 10-49	ntities 50-249
BIGNONIA grandiflora, 25'-40' (Campsis gr.)		_	etcreeper
Orange-yellow trumpet-like flowers in Ju	· -		
1 year 2 year	$\begin{matrix} .45 \\ .70 \end{matrix}$	$\begin{array}{c} .37 \\ .55 \end{array}$	$\begin{matrix} .30 \\ .45 \end{matrix}$
— — Mad. Gallen, 25'-40' (Campsis M. G.) An improved type of grandiflora, Darker	orange	_	etcreeper
1 year	.55	.45	.35
2 year	.75	.60	.50
— radicans, 25'-40' (Campsis rad.)		Trump	etcreeper
Strong growing. Scarlet-orange flowers.	2.2	2.0	
1 year 2 year	$\begin{array}{c} .22 \\ .37 \end{array}$	$\begin{array}{c} .20 \\ .30 \end{array}$.15 $.25$
BIOTA — (See THUYA ORIENTALIS)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, ,
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
	· Floweri	ng Butte	rfly Bush
— Dubonnet, 4'. Lavender	1 10 W C11	ng Dutte	iny Dush
- Farquhari, 4'. Light purple.			
— Ile de France, 4'. Dark purple—fragrant.			
— Orchid Beauty, 4'.			
— Pink Charming, 4'-6'. Long panicles of pin	k flowers	5.	
— Princeton Red, 4'.			
— Princeton White, 4'.			
Above varieties at following prices: 18 to 24 in.	.37	.30	.25
2 to 3 ft. 3 to 4 ft.	.45 $.55$.37 $.45$	$ \begin{array}{c} .23 \\ .30 \\ .35 \end{array} $
BRIDALWREATH (See SPIRAEA PRUNIFO	OLIA)		
BUCKTHORN (See RHAMNUS)			
BUTTERFLY BUSH (See BUDDLEIA)			
ર્સ C }∻			
CAMPSIS (See BIGNONIA)			
CALLICARPA purpurea, 3'-4'.	Chi	noso Ros	utyberry
Lilac violet berries, especially attractive			-
12 to 18 in		.30	.25
18 to 24 in		.45	
CALYCANTHUS floridus, 4'-5'			eet Shrub
CALYCANTHUS floridus, 4'-5' An old garden favorite, with fragrant, da		sh-brown	flowers.
CALYCANTHUS floridus, 4'-5' An old garden favorite, with fragrant, da 12 to 18 in	.37	sh-brown	flowers.
CALYCANTHUS floridus, 4'-5' An old garden favorite, with fragrant, da		sh-brown	.25 .35

	Unit Pri 1-9	ice in Quan 10-49	tities 50-249
CARPINUS betulus, 60'-70'	Eu	ropean Ho	rnbeam
Leaves like Caroliniana but stronger, m	ore comp	act grower	r.
4 to 5 ft., B&B	7.00	6.25	5.50
5 to 6 ft., B&B	13.00	11.00	9.00
6 to 8 ft., B&B	17.00	14.00	11.00
— caroliniana, 30'-40'	Ar	nerican Ho	ornbeam
Bluish-green foliage. Low, bushy. Exceeded well in shade.	ellent fal	l coloring	. Grows
4 to 5 ft., B&B	7.60	6.75	5.75
5 to 6 ft., B&B	10.00	9.50	7.50
6 to 8 ft., B&B	14.25	11.75	9.50
10 to 12 ft., B&B	18.00	15.00	12.00
— japonica, 30'-40'	Ja	apanese Ho	ornbeam
Attractive, graceful tree. Foliage reddish	h-brown	when unfo	lding.
8 to 10 ft., B&B	15.00	12.00	10.00
10 to 12 ft., B&B	19.00	15.00	12.50
CELASTRUS orbiculatus, 15'-20'	Or	iental Bitt	tersweet
Rapid growing, high climbing shrubby to expose red seeds in fall.	vine. Ora	ange fruit	opening
18 to 24 in., 1 year	.37	.30	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
— scandens, 15'-20'	Am	erican Bit	tersweet
Fruit deeper colored and larger than th	e above.		
18 to 24 in., 1 year	.37	.30	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
CELTIS occidentalis, 50'-60'		На	ackberry
Resembles a slow growing Elm. Compa	ct in hab	it.	
6 to 8 ft	2.60	2.20	
8 to 10 ft	3.75	3.00	
10 to 12 ft	5.25	4.40	
			tonbush
CEPHALANTHUS occidentalis, 5'-6'		But	tonbush
CEPHALANTHUS occidentalis, 5'-6' Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture.	n round h		
Fragrant, creamy white flowers borne in	n round h		Septem-
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture.		neads July-	Septem-
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in	.37	neads July-	.25 .35
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in	.37 .55	eads July- .30 .45	.25 .35 .45
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.37 $.55$ $.70$.30 .45 .55 .70	.25 .35 .45
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.37 .55 .70 .85	.30 .45 .55 .70	.25 .35 .45 .55
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in	.37 .55 .70 .85	.30 .45 .55 .70	.25 .35 .45 .55
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CERCIDIPHYLLUM japonicum, 20'-30' Excellent symmetrical tree. Beautiful seconds.	.37 .55 .70 .85	.30 .45 .55 .70 Kats	.25 .35 .45 .55
Fragrant, creamy white flowers borne in ber. Good foliage. Likes moisture. 18 to 24 in	.37 .55 .70 .85 spring an 8.00 10.50	.30 .45 .55 .70 Kats d autumn 6.50	.25 .35 .45 .55



TWO-YEAR FLOWERING SHRUBS—Cut back, stocky, heavily branched. Princeton quality.

	Unit Price in Quantities		
	1-9	10-49	50 - 249
CERCIS canadensis, 12'-15'		American	Redbud
Rosy pink flowers in April. Also called .	Judas Tr	ee.	
2 to 3 ft	.60	.50	.40
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.90	1.50	$\boldsymbol{1.25}$
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
— chinensis, 10'-12'		Chinese	Redbud
Deeper pink than canadensis. Compact a	growing.		
18 to 24 in	.90	.75	.60
2 to 3 ft	1.30	1.10	.90
3 to 4 ft	1.90	1.50	1.25

CHAENOMELES lagenaria (See CYDONIA)

CHAMAECYPARIS — THE RETINOSPORAS

CHAMAECYPARIS pisifera, 25'-35'	Sa	wara Reti	nospora
Fast growing evergreen. Loosely pyrami	dal.		
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.50	3.75	

PRINCETON NURSE	RIES		17
	Unit Pr 1-9	rice in Qua 10-49	ntities 50-249
CHAMAECYPARIS pisifera aurea, 25'-35'	Golden S	Sawara Ret	inospora
Same growth as pisifera. Foliage brigh			
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	$\overset{1.3}{2.25}$	$\frac{1.20}{1.90}$	1.50
2 to 2½ ft., B&B	$\frac{2.20}{3.00}$	2.50	$\frac{1}{2.00}$
2 ½ to 3 ft., B&B		3.00	2.50
3 to 4 ft., B&B		4.50	
— — filifera, 15'-20'	7	Thread Ret	inospora
Long, stringy, drooping, rich green fol		ry hardy.	
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B		$\boldsymbol{1.25}$	1.00
18 to 24 in., B&B	2.25	1.90	1.50
— plumosa, 25'-35'	Dly	ıma Patina	ognore
		ime Retind	_
Evergreen. Dense, fine texture. Shea			
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.25	$\frac{1.90}{2.50}$	1.50
2 to 2 ½ ft., B&B	3.00	2.50	$\frac{2.00}{0.50}$
2 ½ to 3 ft., B&B	$\frac{3.75}{5.05}$	$\frac{3.00}{4.00}$	$\frac{2.50}{2.50}$
3 to 4 ft., B&B	5.25	$\frac{4.40}{5.05}$	$\frac{3.50}{4.75}$
4 to 5 ft., B&B	7.15	5.85	4.75
	-	ıme Retino	ospora
Foliage golden yellow. Similar in ha	abit to plu	amosa.	
12 to 15 in., B&B	1.45	1.20	.95
15 to 1 8in., B&B	1.75	1.40	1.15
18 to 24 in., B&B	2.40	2.00	1.60
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B$	3.20	2.70	2.15
2 ½ to 3 ft., B&B	4.10	3.50	$\frac{2.75}{}$
— squarrosa veitchi, 25'-30'		Maga Da	tinaanara
*		moss ne	tinospora
Foliage blue gray, feathery and dense.			
12 to 15 in		.95	.75
15 to 18 in		1.25	1.00
18 to 24 in	2.25	1.90	1.50
OHERRY, FLOWERING (See PRUNUS)			
CHESTNUT. (See CASTANEA)			
CHIONANTHUS virginicus, 15'-18'			ringetree
Abundant tassel-like white flowers Mag	y-June. B	lue-black	fruits.
18 to 24 in	1.00	.80	.65
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.50	3.75	3.00
CHOKEBERRY — (See ARONIA)			
CLEMATIS paniculata, 20'-25'	Swee	et Autumn	Clematis
White fragrant flowers. September. Wine.	ooly seed	pods. An	excellent
1 year	.30	.25	.20
2 year		.23 $.37$.30
3 year		.50	.40
— √ —			

	Unit Price 1-9	in Quant 10-49	tities 50-249
CLETHRA alnifolia, 4'-5'		Summe	ersweet
Spikes of richly fragrant flowers. Julyshady places.	September.	Prefers	moist,
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 2 ½ ft	.70	.55	.45
CORNUS alba (sibirica), 8'-10'	Red Bra	inched D	ogwood
Bright red bark. Porcelain blue fruits. Gwinter effects. Very adaptable.	Quick growe	er. Excel	lent for
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
— alternifolia, 15'-18'		Blue D	ogwood
Horizontal branches. Blue-black fruits.			
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— amomum (sericea), 10'	C o i o i	•	ogwood
Pale blue fruits. Young twigs purple. Pr	eiers moisi	, iocation	٠.
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— elegantissima variegata, 6'-8'		blotch I	ogwood
Leaves are edged with creamy white. Ve			4.5
15 to 18 in	.60	.50	.40
— florida, 15'-25'	Whiteflo		
White flowers. A most popular spring berries.	flowering	small tr	ee. Red
2 to 3 ft., B.R	1.10	.95	.75
3 to 4 ft., B.R	1.90	1.50	$\boldsymbol{1.25}$
4 to 5 ft., B.R	3.00	2.50	2.00
5 to 6 ft., B&B	7.50	6.00	5.00
6 to 8 ft.,B&B	10.50	9.00	7.00
8 to 10 ft., B&B	15.00	12.50	10.00
10 to 12 ft., B&B	19.00	15.00	
Larger sizes—prices on application.			
— — rubra, 15'-20'	Redflo	wering I	Dogwood
Beautiful bright red flowers in spring. V	Verv strikin	ıg.	
	1.90	1.50	1.25
18 to 24 in., B.R	$\frac{1.30}{2.25}$	$\frac{1.00}{1.90}$	1.50
2 to 3 ft., B.R. 3 to 4 ft., B.R.	$\frac{2.25}{3.75}$	3.00	$\frac{1.50}{2.50}$
— paniculata (racemosa), 10'-12'		Gray 1	Dogwood
Small white flowers. May. White fruits	on red stem	ıs.	
18 to 24 in	.37	.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft.	.90	.75	.60

	Unit Pric	e in Quant 10-49	tities 50-249
CORNUS sanguinea, 8'-10'	Ble	oodtwig D	ogwood
Dark red branches. Good foliage. Does w		_	
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	$\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$	$\begin{array}{c} .50 \\ .60 \end{array}$	$\begin{array}{c} .40 \\ .50 \end{array}$
— stolonifera, 7'-8'		ed-Osier D	_
Spreading. Dark red bark. White fruits tions.			
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} .30 \\ .45 \end{array}$	$egin{smallmatrix} .25 \ .37 \end{smallmatrix}$	$\begin{array}{c} .20 \\ .30 \end{array}$
3 to 4 ft	.60	.50	.30 $.40$
4 to 5 ft		60	.50
——————————————————————————————————————		lowtwie D	o warrood
Bright yellow bark. Excellent for winter		lowtwig D	ogwood
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
CORYLUS americana, 8'-9'	\mathbf{A}^{\cdot}	merican H	azelnut
Delicious nuts. Attractive and useful in hardy.			
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	$egin{smallmatrix} 1.50 \ 1.90 \end{smallmatrix}$	$egin{array}{c} 1.25 \ 1.50 \end{array}$	1.00
COTONEASTER — Established in pots.	1.00	1.00	
— horizontalis (davidiana), 2'-3'. Rock Coto Spreading. Foliage boxlike. Red berries.			
— microphylla, 2'-3'. Rockspray. 6-9"			
Evergreen. Small leaves. Dark green. Mo	re bushy t	han Horiz	ontalis.
Above varieties at following prices:			
6 to 9 in., in pots	1.10	.95	.75
9 to 12 in., in pots	1.50	1.25	1.00
12 to 15 in., in pots	1.90	1.50	1.25
— perpusilla. Smaller leaves and larger fru 9-12"	it than H	orizontali	s. 6-9":
- rotundifolia; evergreen. Round leaves. Pr	rostrate re	ed berries.	12-15"
- salicifolia; partly evergreen. Spreading. F	Red berrie	s. 6-9"	
— simonsi; almost evergreen. Strong growe Above varieties at following prices:	r. Loose	habit. 12-	15"
6 to 9 in., B&B	.75	.60	.50
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	1.25	1.00
CRABAPPLE (See MALUS)			

PRINCETON NURSEI	RIES		
	Unit Pr 1-9	ice in Quai 10-49	ntities 50 -24 9
CRATAEGUS — HAW	THORN		
CRATAEGUS arnoldiana, 20'		Arnold H	
An open-headed tree having white flower son fruit in August.	ers in Ma	y and brig	tht crim-
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.50	7.50
— coccinea (intricata), 15'-20'		Thicket H	awthorn
Shrubby habit. Oval leaves. Dull red fru		ll.	4.50
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00
— coccinoides, 20'		Kansas E	Iawthorn
Attractive rugged foliage. Red fruits.		F F 0	
6 to 8 ft	6.75	5.50	
8 to 10 ft	9.00	7.50	
— cordata (phaenopyrum) 12'-15'		shington H	Iawthorn
Colorful in fall. Makes an excellent hed	3.00	2.50	2.00
3 to 4 ft., B.R.	3.75	$\frac{2.50}{3.00}$	$\frac{2.50}{2.50}$
4 to 5 ft. B.R.	7.00	6.25	5.50
5 to 6 ft., B&B	10.25	9.00	8.00
8 to 10 ft., B&B	14.00	12.50	11.00
10 to 12 ft., B&B	17.75	16.25	14.25
12 to 14 ft., B&B	22.75	20.25	18.25
14 to 16 ft., B&B	29.50	26.50	
— crusgalli, 15'		Cocksp	ur Thorn
Deep green shiny leaves make this Haflowers are also conspicuous.	awthorne	distinctiv	e; white
2 to 3 ft	2:60	2.20	1.75
3 to 4 ft	3.40	2.80	2.25
— mollis, 15' Strong grower. Large leaves. Red fruit	S	Downy I	Hawthori
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.00	7.50
12 to 14 ft	13.00	11.00	9.00
— oxycantha, 12'-15'		Engli	ish Thori
Single white flowers.			
5 to 6 ft	6.00	5.00	-
6 to 8 ft		6.00	
— — pauli, 12'-15'	Paul	's Scarlet l	Hawthori
Double scarlet flowers.	3.00	2.50	2.0
3 to 4 ft., branched		$\frac{2.50}{3.75}$	3.0
4 to 5 ft., branched	6.00	5.10	

5 to 6 ft., branched

— pyracantha lalandi (See PYRACANTHA)

5.00

6.00

	Unit P 1-9	rice in Quan 10-49	tities 50-249
CYDONIA japonica (chaenomeles lagenaria),	4'-5'	Flowering	Quince
Scarlet flowers, April. May. Spicy fruits	make i	0	
12 to 18 in.	.30	.25	.20
18 to 24 in.	.45	.37	.30
2 to 3 ft	.60	.50	.40
— HYBRIDS, 4'-5'			
Boule de feu, double red. 12-18"; 18-2	24"; 2-3	,	
Cardinalis, red flowering. 12-18"; 18-	24"; 2-3	3′	
Crimson Beauty, bright crimson. 18-2	4"; 2-3'	; 3-4'	
Superba atrosanguinea, redflowering.	12-18";	18-24"; 2-3	,
12 to 18 in	.60	.50	.40
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} .90 \\ 1.20 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$	$\begin{array}{c} .60 \\ .80 \end{array}$
3 to 4 ft	$\frac{1.20}{1.50}$	1.25	1.00
CYPRESS (See CHAMAECYPARIS)			
DEUTZIA gracilis, 3'		Slender	Deutzia
Heavily ladened with snow white flowers	in May	. Useful faci	ng
shrub.	4 =	0.7	0.0
9 to 12 in. 12 to 15 in.	$\begin{array}{c} \textbf{.}45 \\ \textbf{.}60 \end{array}$	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} .30 \\ .40 \end{array}$
15 to 18 in.	.75	.60	.50
wasaa 9/		Pogo	noniala
— rosea, 3' Similar in growth to above but with pink	rich flox		panicle
9 to 12 in	.45	.37	.30
12 to 15 in	.60	.50	$.30 \\ .40$
15 to 18 in	.75	.60	.50
— lemoinei, 4'-5'		Lemoine l	Deutzia
Large flowering, white. June.		L emome 1	Deutzia
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
— magnifica, 9'-10'	Gian	t Flowered I	Deutzia
Double white. Rugged growth. 2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
— — crenata fl. pl., 6'-8'	D	ouble Pink l	Deutzia
Graceful habit. Double white, June.	D	ousie i iiik i	Dettezia
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	$.\overline{3}\overline{5}$
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— scab. crenata fl. pl., 6'-8'	D	ouble Pink I	Deutzia
Double pink, June. 18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55

22 PRINCETON NURSE	TIES		
	1-9	ce in Quan 10-49	50-249
DEUTZIA scab. Pride of Rochester, 9'-10'	Large	Flowered	Deutzia
Pink changing to white. June. Fast grow	ving.		
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.05	.90	.70
DIERVILLA sessilifolia (lutea), 4'-5' Yellow flowers June-July. Vigorous grow Excellent for contrast.	Southern er; purpl	Bush Hone ish-bronze	foliage.
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
DOGWOOD (See CORNUS)			
		Rucci	an Ol iv e
ELAEAGNUS angustifolia, 15'-18'	harriag S		
Silvery leaves and branchlets. Orange conditions.			
2 to 3 ft	.55		.35 $.45$
3 to 4 ft	.70	.55	.40
— longipes (multiflora), 6'-8'		Cherry El	
Silvery leaves. Yellow flowers, fragran	nt. May.	Large red	berries
ripening in July.	7.0		4 5
18 to 24 in	.70	.55	$.45 \\ .65$
2 to 3 ft	1.00	.80	.00
— umbellata, 8'-10'		Autumn H	_
Powdery green leaves. Clusters of ambe			
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
ELDER (See SAMBUCUS)			
ELM (See ULMUS)			
ENKIANTHUS campanulatas, 20'-25'	Rec	d Vein En	kianthus
Erect shrub of great ornamental value. and broad leaved evergreens. Prefers pe		dul with er	icaceous
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.60	2.20	
EUONYMUS alatus, 9'-10'		Winged E	uonymus
	n colorina		
Has corky bark. Bright crimson autum			4.5
Has corky bark. Bright crimson autumnt 12 to 18 in.	.70	.55	.45
Has corky bark. Bright crimson autum	$\begin{array}{c} .70 \\ .90 \end{array}$.48

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
EUONYMUS alatus compactus, 4'-5'	Dwarf V	Winged Eu	onymus
Dwarf form of alatus. Compact. Excelle coloring.		-	-
12 to 15 in	.70	.55	.45
15 to 18 in	.90	.75	.60
18 to 24 in	1.30	1.10	.90
2 to 3 ft	1.90	1.50	1.25
— europaeus, 12'-14'	-	ean Burnii	ng bush
Pink fruits on long stalks, persisting a lo	ong time.		
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— radicans, 3'-4'		Winter	creeper
Evergreen. Self clinging vine. Good fo	r coverin		-
useful for under planting among evergr			
6 to 9 in., 1 year	.37	.30	.25
9 to 12 in., 2 year		.45	.35
12 to 18 in., 2 year	.70	.55	.45
—— colorata, 6'-12'	Purplelea	ved Winter	creeper
Evergreen. Foliage narrow, long and tir winter color.	nged with	purple. E	xcellent
9 to 12 in., 2 year	.37	.30	.25
12 to 15 in., 3 year	.55	.45	.35
15 to 18 in., 3 year	.70	.55	.45
— vegetus, 3'-4'	Rig	leaf Winter	'creener
Evergreen. Bushy. Leaves round, dull gramong evergreens. Makes good formal	een. Scar	let fruit. E	_
6 to 9 in., 2 year, pots	.55		.35
b to 9 In., 2 year, pots		.45	
	75		E 0
9 to 12 in., 2 year, pots	$\frac{.75}{1.10}$	$\frac{.60}{0.5}$.50
	$\begin{array}{c} .75 \\ 1.10 \\ 1.50 \end{array}$	$\begin{array}{c} .60 \\ .95 \\ 1.25 \end{array}$	$\begin{array}{c} .50 \\ .75 \\ 1.00 \end{array}$
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in.	$\begin{array}{c} \textbf{1.10} \\ \textbf{1.50} \end{array}$	$\begin{matrix}.95\\1.25\end{matrix}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9'	$egin{array}{c} 1.10 \\ 1.50 \\ \end{array}$	$\begin{array}{c} .95 \\ 1.25 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro	1.10 1.50 C	.95 1.25 ommon Pe cuning.	.75 1.00 arlbush
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in.	1.10 1.50 C ved by pr	.95 1.25 ommon Pe cuning. .30	.75 1.00 arlbush .25
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro	1.10 1.50 C	.95 1.25 ommon Pe cuning.	.75 1.00 arlbush
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.10 1.50 C ved by pr .37 .55	.95 1.25 ommon Peruning. .30 .45	.75 1.00 arlbush .25 .35
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.10 1.50 C ved by pr .37 .55	.95 1.25 ommon Peruning. .30 .45 .55	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100'	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome trees.	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tr 6 to 8 ft., B&B	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tr 6 to 8 ft., B&B 8 to 10 ft., B&B	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55 Europea:	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tr 6 to 8 ft., B&B	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55	.75 1.00 arlbush .25 .35 .45
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tr 6 to 8 ft., B&B 8 to 10 ft., B&B 10 to 12 ft., B&B 12 to 14 ft., B&B	1.10 1.50 C ved by pr .37 .55 .70 ee. 10.50 15.00 22.50	.95 1.25 ommon Peruning. .30 .45 .55 Europea: 9.00 12.50 19.00 25.00	.75 1.00 arlbush .25 .35 .45 n Beech
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white filowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tre 6 to 8 ft., B&B 8 to 10 ft., B&B 10 to 12 ft., B&B 12 to 14 ft., B&B — asplenifolia, 20'-30'	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55 European 9.00 12.50 19.00 25.00 Fernlea	.75 1.00 arlbush .25 .35 .45 n Beech f Beech
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tre 6 to 8 ft., B&B 8 to 10 ft., B&B 10 to 12 ft., B&B 12 to 14 ft., B&B — asplenifolia, 20'-30' Useful as specimen tree. Finely cut leav	1.10 1.50 C ved by pr .37 .55 .70	.95 1.25 ommon Peruning. .30 .45 .55 European 9.00 12.50 19.00 25.00 Fernlea	.75 1.00 arlbush .25 .35 .45 n Beech f Beech
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tr 6 to 8 ft., B&B 8 to 10 ft., B&B 10 to 12 ft., B&B 12 to 14 ft., B&B — asplenifolia, 20'-30' Useful as specimen tree. Finely cut leav 2 to 3 ft., B&B	1.10 1.50 C ved by pr .37 .55 .70 ee. 10.50 15.00 22.50 30.00	.95 1.25 ommon Peruning30 .45 .55 Europea: 9.00 12.50 19.00 25.00 Fernlea ful slow gr	.75 1.00 arlbush .25 .35 .45 n Beech f Beech
9 to 12 in., 2 year, pots 12 to 15 in. 15 to 18 in. EXOCHORDA grandiflora, 6'-9' Dazzling, white fllowers, May. Is impro 18 to 24 in. 2 to 3 ft. 3 to 4 ft. FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tre 6 to 8 ft., B&B 8 to 10 ft., B&B 10 to 12 ft., B&B 12 to 14 ft., B&B —— asplenifolia, 20'-30' Useful as specimen tree. Finely cut leav	1.10 1.50 C ved by pr .37 .55 .70 ee. 10.50 15.00 22.50 30.00	.95 1.25 ommon Peruning. .30 .45 .55 Europea: 9.00 12.50 19.00 25.00 Fernlea ful slow gr	.75 1.00 arlbush .25 .35 .45 n Beech f Beech

PRINCETON N	UKSEKIES		
	Unit Pri 1-9	50-249	
FAGUS sylvatica fastigiata, 25'	Pyr	amidal Eur	. Beech
Pyramid type of sylvatica.			
3 to 4 ft., B&B	5.00	4.00	
4 to 5 ft., B&B	7.50	6.00	
5 to 6 ft., B&B	10.00	8.00	
6 to 7 ft., B&B	$\dots 12.70$	10.60	
— Riversi, 40'-60'		s Europear	
Deep purple leaves. Compact grow	er. Best form of	t the purple	e beech.
2 to 3 ft., B&B	6.00	5.00	
3 to 4 ft., B&B	7.50	6.00	
FIRETHORN (See PYRACANTHA) FLOWERING CHERRIES (See PRUNFLOWERING CRAB (See MALUS)			
FLOWERING QUINCE (See CYDONIA	1)		
FORSYTHIA intermedia, 6'-8'		Border Fo	-
Bright yellow flowers in April b beautiful.	efore leaves un	fold. Profu	ise and
2 to 3 ft		.45	.35
3 to 4 ft		.55	.45
4 to 5 ft		.75	.60
— spectabilis, 6'-8'	Showy	Border Fo	orsythia
Most profuse of all. Rich golden y	ellow.		
18 to 24 in		.30	.25
2 to 3 ft	- 0	.45	.35
3 to 4 ft	0.0	.55 $.75$	$\begin{array}{c} .45 \\ .60 \end{array}$
4 to 5 ft			
— suspensa, 4'-6'		Weeping Fo	orsythia
Bright yellow. Drooping. Excellen		0.5	0.0
12 to 18 in		$\frac{.25}{20}$	$\begin{array}{c} .20 \\ .25 \end{array}$
18 to 24 in		$egin{smallmatrix} .30 \ .45 \end{smallmatrix}$.25 $.35$
2 to 3 ft 3 to 4 ft		.55	.45
— fortunei, 7'-8'		Fortune Fo	orsytnia
Bright yellow. Strong grower. Are			0.0
12 to 18 in		.25	.20
18 to 24 in		$egin{smallmatrix} .30 \ .45 \end{smallmatrix}$	$\begin{array}{c} .25 \\ .35 \end{array}$
2 to 3 ft 3 to 4 ft		.55	.35
	.,,,,,,,,		
— viridissima, 7'-8'		eenstem F	-
Clear bright yellow. Leathery, da blooming.	rk green follage	e, Green ba	rk. Late
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
FRAXINUS americana, 70'-80'		WI	hite Ash
Medium grower. Good fall colorir	ng. At home in	moist locati	ions.
6 to 8 ft		${\bf 1.25}$	1.00
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	2.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	3.00	$\frac{2.50}{2.50}$
11 to 13 ft., 1 ¾ to 2 in	5.25	$\frac{4.40}{5.50}$	3.50
12 to 14 ft., 2 to $2\frac{1}{2}$ in	6.75	5.50	4.50

Unit Price in Quantities 1-9 10-49 50-249

---**¾** G }♣---

GINKGO biloba (Salisburia), 50'-75' Picturesque. Exotic, stately. Distinguishment of the salisburian from in the salisburian from in the salisburian from th			ike
4 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.75	3.00	2.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.90	4.05	3.25
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	5.50	4.50
10 to 12 ft., 1 3/4 to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2 ½ in	12.00	10.00	

GLEDITSIA triacanthus, 60'-70'	Con	nmon Hon	eylocust	
Thorny tree. White fragrant flowers. May. Good in gravelly locations. Does not shade out lawns. A graceful tree of good				
growth characteristics and clean			or good	
6 to 8 ft	$\overline{2.25}$	1.90	1.50	
8 to 10 ft., 1 to 1 1/4 in.	3.00	2.50	2.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.00	2.50	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	5.50	4.50	
10 to 12 ft., 1 \(\frac{3}{4} \) to 2 in	10.00	8.00	6.50	
12 to 14 ft., 2 to 2½ in	12.70	10.60	8.50	
12 to 14 ft., $2\frac{1}{2}$ to 3 in		14.00	11.00	

— — inermis, 60'-70'	Thornless Honeylocus		eylocust
Similar to triacanthos. Almost thornless.			
8 to 10 ft.	4.50	3.75	3.00
8 to 10 ft., 1 ¼ to 1 ½ in	7.50	6.00	5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.50	8.80	7.00
10 to 12 ft., 1 3/4 to 2 in	13.50	11.00	9.00
GYMNOCLADUS dioicus, 40'-50'	Ke	entucky Co	ffeetree
Light blue green foliage. Slow growing.	Pictures	que outlin	e.
6 to 8 ft	4.50	3.75	
8 to 10 ft	6.00	5.00	
10 to 12 ft	9.00	7.50	

---**¾ H** }*****---

المراجعة الم				
HALESIA tetraptera (carolina), 12'-15'		Great	Silverbell	
White bell-shaped flowers in May. I branchlets.	Profusely	borne a	long the	
2 to 3 ft	.75	.60		
3 to 4 ft.	$\boldsymbol{1.05}$.90		
HAMAMELIS virginiana, 10'-12' Common Witch Hazel				
Yellow ribbon-like flowers in late fall. tions.	Good in	moist, sh	ady loca-	
18 to 24 in	.55	.45	.35	
2 to 3 ft	.75	.60	.50	
3 to 4 ft	1.00	.80	.65	

Unit	Price in Quan	tities
1-9	10-49	50-249

HEMLOCK (See TSUGA)

HIBISCUS syriacus (Althea), 10'-12'

Shrub-althea

Rather formal in outline, flowering in August and September. Also called Rose of Sharon.

Ardens, double rose violet.

Boule de feu, double bright red.

Comte de Haimont, double pink, white mottled.

Jeanne d'Arc, semi-double white.

Lucy, double rose red.

Paeoniflorus, double pink.

Pulcherrimus, double pink, crimson center.

Purpureus semiplenus, semi-double purple.

Rubis, single red.

Totus alba, single white.

			inft	$\begin{matrix} .30 \\ .45 \end{matrix}$		$\begin{array}{c} \textbf{.20} \\ \textbf{.30} \end{array}$
3	to	4	ft	.60	.50	.40
4	to	5	ft	.75	.60	.50

The following selected varieties of Hibiscus have exceptionally good color and are slower growers.

Coelestis, single blue. 12-18"; 18-24"; 2-3'.

W. R. Smith, single white, large flwg. 12-18"; 18-24".

12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	. 75	.60	.50

HONEYLOCUST (See GLEDITSIA)

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HYDRANGEA arborescens grandiflora alba, 4'-5' Snowhill Hydrangea (sterilis)

Large double white flower panicles in August. Rich green foliage.

12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft.	.70	.55	.45



HYDRANGEA P. G.—Our selected type.

	Unit Pri	ice in Qua 10-49	ntities 50-249
HYDRANGEA Otaksa, 2'-3' Blue flowers throughout summer. Show for best color. Does better with winter 6 to 9 in., 1 yr. field grown		anted in	ydrangea acid soil
heavy strong roots 9 to 12 in., 1 yr. field grown heavy strong roots	.45 $.60$.37 $.50$.30 $.40$
— paniculata (TYPE), 8'-9' Bears long loose panicles of white flower		Panicle Hy st.	drangea
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$	$\begin{array}{c} \textbf{.}50 \\ \textbf{.}60 \end{array}$	$\begin{array}{c} \textbf{.40} \\ \textbf{.50} \end{array}$
—— grandiflora, 8'9' Very showy. Large closely packed par August. Turns pink later.		Peegee Hy white flo	
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \end{array}$	$egin{array}{c} .30 \\ .45 \\ .55 \\ .70 \\ \end{array}$	$\begin{array}{c} .25 \\ .35 \\ .45 \\ .55 \end{array}$
——— standard 8'-9'		Tree Hy	drangea
Useful for formal effects in the garden. 3 to 4 ft	$\begin{smallmatrix}1.50\\1.90\end{smallmatrix}$	$\begin{array}{c} \textbf{1.25} \\ \textbf{1.50} \end{array}$	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$
— quercifolia, 3'-4' Leaves shaped like an oak leaf. Beauticeeds in shade. Very desirable.		k Leaf Hy mn colori	
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} 1.20 \\ 1.50 \end{array}$	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$	$\begin{matrix} .75 \\ 1.00 \end{matrix}$
HYPERICUM aureum, 3'-4' Yellow, July-August, Blue-green foliage;		den St. Jo abit.	hnswort
18 to 24 in	.45 $.60$.37	$\begin{array}{c} \textbf{.30} \\ \textbf{.40} \end{array}$

28	PRINCETON NURSER	TIES		
		Unit Price 1-9	e in Qua 10-49	ntities 50-249
HY	PERICUM densiflorum, 4'-5'			
	Yellow, July-Sept. Free flowering; good	for sandy	soil.	
	18 to 24 in	.45	.37	.30
	2 to 3 ft	.60	.50	.40
<u> </u>	kalmianum, 3'-5 ']	Kalm H	ypericum
	Large yellow flowers. July-August.			
	18 to 24 in	.45	.37	.30
<u> 1</u>	noserianum, $2'$		Gold	lenflower
	Hybrid form. Useful in perennial bord over two inches across.	ler. Golde:	n yel]ov	v flowers
	9 to 12 in	.45	.37	.30
	12 to 15 in	.55	.45	.35
<u> </u>	prolificum, 4'-5'	Shrub	by St. J	ohnswort
,	Strong, vigorous grower. Masses well a			
	or sandy soils.	s ground c	,0 (01 111	very ary
	18 to 24 in	.45	.37	.30
	2 to 3 ft	.60	.50	.40
ILF	X crenata, 8'-10'		Japan	ese Holly
	Evergreen. Box-like leaves. Deep green.	Black ber	ries	
	12 to 15 in., B&B	1.90	1.50	1.25
	15 to 18 in., B&B	2.60	2.20	1.75
	18 to 24 in., B&B	3.40	2.75	2.25
	2 to 2½ ft., B&B	5.25	4.40	3.50
	— convexa (bullata), 4'-5'		nvex lear	ved Holly
	Evergreen. Slow growing. Shiny convex	foliage		
	9 to 12 in., B&B	1.50	1.25	1.00
	12 to 15 in., B&B	2.60	2.20	1.75
	15 to 18 in., B&B	3.40	2.75	2.25
_	— microphylla, 6'-8'	Littlelea	af Japan	ese Holly
	Evergreen. Small Leaves. Quite hardy.			
	12 to 15 in., B&B	1.90	1.50	1.25
	15 to 18 in., B&B	3.00	2.50	2.00
	18 to 24 in., B&B	3.75	3.00	2.50
_	glabra, 5'-6'			Inkberry
;	Evergreen. Shiny dark green leaves. Puries. Good in shade or sun.	rplish in w	vinter. E	Black ber
	15 to 18 in., B&B	2.25	1.90	1.50
	18 to 24 in., B&B	3.00	2.50	2.00
	2 to 2 ½ ft., B&B	4.50	3.75	3.00
	opaca, 45'-50'		Americ	ean Holly
	Evergreen. Prefers moist location in pa	rtial shade	э.	
	2 to 3 ft., B&B	3.75	3.00	2.50
	3 to 4 ft., B&B	6.00	5.00	4.00
	4 to 5 ft., B&B	7.50	6.00	5.00
	5 to 6 ft., B&B	10.00	8.00	6.50
	Selected Berried Plants 25%		1.	
	70			

FRINCEION NURSE	RIES		Z 9
	Unit Pr 1-9	ice in Qua 10-49	ntities 50-249
ILEX verticillata (prinos), 6'-8'		Wir	nterberry
Bright red berries to medium in winter.	Not ever	green.	
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
IVY (See AMPELOPSIS or HEDERA)			
JAPANESE MAPLE (See ACER palmatum)			
JAPANESE QUINCE (See CYDONIA)			
JASMINUM nudiflorum, 3'		Winter	Jasmine
Yellow. April-May. Needs protection in first to bloom in the Spring.	northern	states. Or	ne of the
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— stephanense, 8'		Stephan	Jasmine
Large fragrant flowers of soft pale pink		-	4.0
18 to 24 in	.60	.50	.40
JUDAS TREE (See CERCIS)			
JUNIPERUS chinensis, 15'-20'		Chinese	Juniper
Formal columnar. Gray green foliage.			
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft. B&B 3 to 4 ft. B&B	$\begin{array}{c} 3.40 \\ 5.25 \end{array}$	$egin{array}{c} 2.80 \ 4.40 \end{array}$	$\begin{array}{c} 2.25 \\ 3.50 \end{array}$
4 to 5 ft., B&B	6.75	5.50	4.50
— columnaris (pyramidalis), 15'-20' Blue	Columna	ar Chinese	Juniper
Fast growing. Narrow columnar. Gray g	reen folia	age.	
2 to 3 ft. B&B	3.40	2.80	2.25
3 to 4 ft. B&B	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	$\begin{matrix} 5.00 \\ 6.00 \end{matrix}$	$\begin{array}{c} 4.00 \\ 5.00 \end{array}$
4 to 5 ft., B&B 5 to 6 ft., B&B		8.00	$\frac{5.00}{6.50}$
,			
•		r Chinese	Juniper
Light green form of the above, slightly			4000
7 to 8 ft., B&B 8 to 10 ft., B&B		$\begin{smallmatrix}12.25\\15.00\end{smallmatrix}$	$\begin{array}{c} 10.00 \\ 12.50 \end{array}$
,	10.00		
— japonica, 6'-8'		Japanese	Juniper
Low grower, Spreading, Dark green, Gro			1.50
12 to 15 in., B&B	$egin{array}{c} 2.25 \ 3.00 \end{array}$	$\begin{array}{c} 1.90 \\ 2.50 \end{array}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$
18 to 24 in., B&B	3.75	$\frac{2.00}{3.00}$	2.50
2 to 2 ½ ft., B&B	5.00	4.00	3.25
— pfitzeriana, 5'-6'		Pfitzer	Juniper
Gray green feathery appearing. Broad b	ushy hab		_
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.00	4.00	3.25



JUNIPERUS EXCELSA STRICTA—A wonderful lot of this popular variety. Very clean and thrifty and the right sizes.

	Unit Pr 1-9	ice in Quar 10-49	ntities 50-249
JUNIPERUS chinensis sargenti, 1½' Evergreen. Prostrate habit, grass-green cover and rock plant.	foliage.	Sargent A valuable	
9 to 12 in	1.90	1.50	1.25
— communis canadensis, 5'-6' Low vase shape. Leaves dark green above	ve, bluist		Juniper th.
15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B 2½ to 3 ft., B&B	$egin{array}{c} 1.90 \ 2.60 \ 3.75 \ 5.00 \end{array}$	$egin{array}{c} 1.50 \ 2.20 \ 3.00 \ 4.00 \ \end{array}$	1.25 1.75 2.50 3.25
— hibernica, 20'-30' Narrow pyramid. Gray green foliage.		Irish	Juniper
12 to 18 in., B&B 18 to 24 in., B&B 2 to 3 ft., B&B	$egin{array}{c} 1.10 \\ 1.90 \\ 2.60 \\ \end{array}$	$\begin{array}{c} .95 \\ 1.50 \\ 2.20 \end{array}$	$\begin{array}{c} .75 \\ 1.25 \\ 1.75 \end{array}$
— suecica, 20'-30' Quick growing. Narrow, upright form.		Swedish	Juniper
15 to 18 in., B&B	$egin{array}{c} 1.10 \\ 1.90 \\ 2.60 \\ \end{array}$	$egin{array}{c} .95 \ 1.50 \ 2.20 \end{array}$	
— excelsa stricta, 10'-12' Broad based pyramid. Gray green foliag		piny Greek popular.	Juniper
9 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2 ½ ft., B&B	1.50 1.90 2.60 3.40 4.10	$\begin{array}{c} 1.25 \\ 1.50 \\ 2.20 \\ 2.80 \\ 3.50 \end{array}$	1.00 1.25 1.75 2.25 2.75

TRINOETON NORSE	111111111111111111111111111111111111111		91
	Unit P 1-9	rice in Qua 10-49	ntities 50-249
JUNIPERUS horizontalis (sabina prostrata)			T
Droctacts Cood around come on for me		eping Savin	Juniper
Prostrate. Good ground cover or for roc			0 50
2 to 2 ½ ft. B&B	3.75	3.00	2.50
— — Bar Harbor, 6"-12"		Bar Harbor	Juniper
Gray-green foliage, very dwarf.			
6 to 9 in	1.10		.75
9 to 12 in	1.50	1.25	1.00
— depressa plumosa, 2'-3'		Andorra	Juniper
Spreading type, Hardy, Purplish in winte	er. Attr		-
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B$	4.50	3.75	3.00
——— douglasi, 1'-1½'		Waukegan	Juniper
Evergreen. Long branches trailing alon	g grou	nd. Steely-b	olue foli-
age. A splendid ground cover; also effective purple hue in winter.			
9 to 12 in	1.50	$\boldsymbol{1.25}$	1.00
12 to 15 in	2.25	${\bf 1.90}$	1.50
— squamata meyeri, 3'-4'		Meyer	Juniper
Deep blue green, Dwarf, Desirable.		•	•
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.50	3.75	3.00
— virginiana, 35'-50'		F	Redcedar
Deep green. Forms a dense column. Purj	olish in	winter.	
6 to 8 ft., B&B	8.50	7.00	
8 to 10 ft., B&B	11.00	9.50	
— — burki, 10'-12'		Burks	Juniper
Distinct blue. Forms a dense column.		20110	oumpor
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	4.00
4 to 5 ft., B&B	7.50	6.00	5.00
5 to 6 ft., B&B	10.00	8.00	6.50
— — canaerti, 12'-15'		Canaert F	Redcedar
Blackish-green foliage. Dense growing co	olumn.		
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	4.00
4 to 5 ft., B&B	7.50	6.00	5.00
5 to 6 ft., B&B	10.00	8.00	6.50
— glauca, 15'-20'		Silver F	Redcedar
Blue gray foliage. Columnar, tall, narroy	W.		
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	$\frac{3.75}{7.50}$	$\frac{3.00}{6.35}$	$\frac{2.50}{5.00}$
4 to 5 ft., B&B	$\begin{array}{c} 7.50 \\ 13.50 \end{array}$	$\begin{smallmatrix}6.25\\11.00\end{smallmatrix}$	$egin{array}{c} 5.00 \ 9.00 \end{array}$
6 to 7 ft., B&B	17.00	14.00	11.00
1 00 0 100, D&D			



ANDORRA JUNIPERS—A very uniform lot of this excellent spreading Juniper. Priced to make you money.

	Unit Pr 1-9	rice in Quai 10-49	ntities 50-249	
JUNIPERUS virg. keteleeri, 15'-18' Deep green foliage. Slate blue berrie pyramid.	es. Com	Keteleer F apact, broa		
2 to 3 ft., B&B	3.75	3.00	2.50	
3 to 4 ft., B&B	6.00	5.00	4.00	
6 to 7 ft., B&B	13.00	11.00		
— — pyramidalis, 35'-50'	F	Pyramidal Redcedar		
Columnar, dense, compact. 2 to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B	3.00 4.75 6.00 7.50	2.50 3.75 5.00 6.25 Schott 1		
Fresh green foliage. Formal columnar				
18 to 24 in., B&B	2.60	2.20	1.75	
2 to 3 ft., B&B	3.75	3.00	2.50	
3 to 4 ft., B&B	6.00	5.00	4.00	
4 to 5 ft., B&B	7.50	6.00	5.00	
7 to 8 ft., B&B	13.00	11.00	9.00	
8 to 9 ft., B&B	17.00	14.00	11.00	
KALMIA latifolia, 8'-10' Evergreen. Pink flowers, June. Glossy fe	oliage. F		in-laurel le.	
15 to 18 in., B&B	2.25	1.90	1.50	
18 to 24 in., B&B	3.00	$\frac{2.50}{2.50}$	2.00	
2 to 3 ft., B&B	3.75	3.00	2.50	

	Unit Pri	ice in Quan 10-49	tities 50-249
KOLKWITZIA amabilis, 6'-8'		Bea	utybush
A distinctive pink flowering shrub. Ver	v effectiv	e.	Ť
12 to 18 in.	.50	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft.	.75	.60	.50
3 to 4 ft	.90	.75	.60
			
LABURNUM vossi, 18'-20'		Gold	lenchain
Attractive, small tree with yellow pracmes. June	ea-shape	d flowers	in long
3 to 4 ft	3.50	2.80	
4 to 5 ft	4.10	3.50	
LAUREL (See KALMIA)			
LEUCOTHOE axillaris, 3'-4'		Coast Le	
Similar to catesbaei being more compa able where the space is limited.			re desir-
12 to 15 in., B&B		2.00	
15 to 18 in., B&B	3.00	2.50	-
18 to 24 in., B&B	3.90	3.25	
2 to 2 ½ ft., B&B	5.00	4.00	-
— catesbaei _. 3'4'	Γ	Prooping Le	eucothoe
Evergreen. White flowers, May. Glossy Prefers shade.	foliage.	Rich fall o	coloring.
12 to 15 in., B&B		$\begin{smallmatrix}1.50\\2.50\end{smallmatrix}$	
LIBOCEDRUS decurrens, 100'		Calif. Ince	nsecedar
Handsome tall growing tree forming na reddish. Deep green foliage. Splendid a			ad. Bark
5 to 6 ft., B&B	8.50	7.00	
6 to 8 ft., B&B	10.50	9.00	
1-9 LIGUSTRUM amurense, 14'-15'	10-49	50-249 Amu	250-up r Privet
Semi-evergreen. Upright. Olive green f	ioliage. V	'ery hardy.	
12 to 18 in	.11	.10	$.07 \frac{1}{2}$
18 to 24 in	.20	.15	.10
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	
4 to 5 ft	.37	.30	-
5 to 6 ft	.50	.40	
— ibolium, 8'-10'		Iboliu	m Privet
Similar to California Privet, but much l	hardier.		
12 to 18 in	.09	.07	.06
18 to 24 in	.11	.10	$.07 \frac{1}{2}$
2 to 3 ft	.20	.15	.10
3 to 4 ft	.22	.20	.15
— ibota regelianum (obtusifolium regal.), 5 Low, dense, spreading. Very desirable.	5'-6'	Rega	al Privet
	9.7	$.22_{-12}$	
12 to 18 in	$\begin{array}{c} .27 \\ .40 \end{array}$	$.22\frac{1}{2}$ $.32\frac{1}{2}$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$.55	$.32\frac{7}{2}$ $.45$	
/ ■ 1			




LIGUSTRUM VICARI (Good near salt water) AND VITEX MACRO-PHYLLA—These two items are novelties of merit and Princeton specialties.

	1-9	10-49	50-249	250-up
LIGUSTRUM ibota vicari, 8'-10'			Golden Ibo	ta Privet
Striking yellow foliage. Clear	r even co	lor.		
9 to 12 in	.37	.30	.25	
12 to 15 in	.55	.45	.35	
15 to 18 in	.70	.55	.45	
— lucidum (macrophyllum), 20'-	25′		Glos	sy Privet
Evergreen, Rich glossy leav called Waxleaf Privet.	es. Hard	y in shelte	ered locatio	ons. Also
12 to 15 in	.75	.60	.50	-
15 to 18 in	1.00	.80	.65	
18 to 24 in	1.20	1.00	.80	-
— ovalifolium, 12'-15'				ia Privet
Most popular hedge plant. G				
Heavy 2 and 3	year cut	back stock	ζ.	
12 to 18 in	.11	.09	.07	.06
18 to 24 in	.13	.11	.09	$.07 \frac{1}{2}$
2 to 3 ft	.22	.20	.15	.10
3 to 4 ft	.27	.22	.20	.15
LILAC (See SYRINGA)				
LINDEN (See TILIA)				
		1-9	10-49	50-249
LIQUIDAMBAR styraciflua, 50'-6	30 ′		S	weetgum
Corky bark. Rich green folia		s well in n	noist locati	ons.
6 to 8 ft			2.50	2.00
10 to 12 ft., 2 to 2 ¼ in		7.15	5.85	4.75
11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in.		9.00	7.50	$\frac{6.00}{5.50}$
12 to 14 ft., $2\frac{1}{2}$ to 3 in		$\frac{11.00}{12.00}$	9.50	7.50
13 to 15 ft., 3 to $3 \frac{1}{2}$ in		13.00	11.00	9.00
LIRIODENDRON tulipifera, 60'- Rapid growing. Yellow tulip		wers. June		Tuliptree
5 to 6 ft		2.25	1.90	1.50
6 to 8 ft		3.00	2.50	2.00
8 to 10 ft		3.75	3.00	2.50



CALIFORNIA PRIVET (Ligustrum ovalifolium)—Two-year cut-back. Amply spaced for strong development. Note the many branches.

spaced for strong development. Note	the many i	or arrefres.	
	Unit Pric	e in Qua 10-49	ntities 50-249
LONICERA bella albida, 8'-9'	White B	elle Hon	eysuckle
Vigorous, white flowers. Blue green foli	age.		
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— fragantissima, 6'-8'	Wii	nter Hon	eysuckle
White fragrant flowers, April, May. Ser	ni-everg r ee	en.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— heckrotti, 15'-20'	Everbloon	ning Hon	eysuckle
Flowers purple outside, yellow inside.	July-Sept.		
2 year, No. 1	.60	.50	.40
— japonica halliana, 15'-25'	Hall Japa:	nese Hon	eysuckle
 japonica halliana, 15'-25' Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 	_		•
Vine. Almost evergreen. Free blooming	_		•
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks.	white and	yellow.	Very fra- .10 .20
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots	white and .15 .30	yellow. V	Very fra-
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr.	white and .15 .30 .37	yellow. V .12 .25	.10 .20 .25
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle	white and .15 .30 .37 A ect. Uprigh	yellow. V .12 .25 .30 mur Hon	Very fra10 .20 .25 eysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Uprigh	yellow. V .12 .25 .30 mur Hon	Very fra10 .20 .25 eysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from 18 to 24 in.	white and .15 .30 .37 A ect. Upright	yellow. V .12 .25 .30 mur Hon .t and sp	Very fra10 .20 .25 eysuckle breading.
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Upright	yellow. V .12 .25 .30 mur Hon at and sp	Very fra10 .20 .25 eysuckle breading.
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Uprightruit. .45 .60 .75	.12 .25 .30 mur Hon .t and sp .37 .50 .60 Late Hon	.10 .20 .25 eysuckle oreading. .30 .40 .50 eysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Uprightruit. .45 .60 .75	.12 .25 .30 mur Hon .t and sp .37 .50 .60 Late Hon	.10 .20 .25 eysuckle oreading. .30 .40 .50 eysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Upright ruit. .45 .60 .75 dowers, Ma .45	.12 .25 .30 mur Hon .t and sp .37 .50 .60 Late Hon y. Red f	.10 .20 .25 eysuckle oreading. .30 .40 .50 eysuckle
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Upright ruit. .45 .60 .75 dowers, Ma .45 .60	.12 .25 .30 mur Hon t and sp .37 .50 .60 Late Hon ty. Red f	.10 .20 .25 eysuckle oreading. .30 .40 .50 eysuckle ruit fall. .30 .40
Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks. 1 year, 2 in. pots 1 year, fld. gr. 2 year, fld. gr. — maacki, 12'-15' Vigorous grower. Thrives under negle White flowers in May followed by red from the steep of the steep	white and .15 .30 .37 A ect. Upright ruit. .45 .60 .75 dowers, Ma .45	.12 .25 .30 mur Hon .t and sp .37 .50 .60 Late Hon y. Red f	.10 .20 .25 eysuckle oreading. .30 .40 .50 eysuckle ruit fall. .30



FLOWERING SHRUBS—Two-year cutback. We space our shrubs for strong and vigorous development. Priced to make you money.

and vigorous development. Triced to	make you	money.	
	Unit Pric	ce in Qua 10-49	ntities 50-249
LONICERA morrowi, 7'-8'	Mo	rrow Hon	eysuckle
Spreading habit. White flowers, May, Ju	ne. Red b	erries.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft		.55	.45
4 to 5 ft		.70	.55
— — xanthocarpa, 7'-8' Yellow Fi			eysuckle
Spreading habit. White flowers, May-Ju	ne. Yellov		
18 to 24 in			.25
2 to 3 ft	.55	.45	.35
— ruprechtiana, 8'-9'	Manchu	rian Hon	eysuckle
Creamy white flowers, June. Red and or	ange berr	ies.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	$\begin{array}{c} .70 \\ .85 \end{array}$	$\begin{array}{c} .55 \\ .70 \end{array}$	$egin{array}{c} .45 \ .55 \end{array}$
4 to 5 ft			
, ,	Vhite Tata	irian Hon	eysuckle
White flowers. Red fruit. Very adaptable			
18 to 24 in	. 3 7	.30	.25
2 to 3 ft	.55	.45 $.55$	$\begin{matrix} .35 \\ .45 \end{matrix}$
3 to 4 ft	$\begin{array}{c} .70 \\ .85 \end{array}$.55	.45
4 to 5 ft			
pulcherrima, 9'-10' Bright			
Very desirable, bright red flowers. Larg			
12 to 18 in		.30	.25
18 to 24 in	$.55 \\ .70$.45 $.55$	$\begin{matrix} .35 \\ .45 \end{matrix}$
2 to 3 ft			
, , , , , , , , , , , , , , , , , , , ,	Pink Tata	irian Hon	eysuckle
Pink flowers, Red fruit. Very adaptable			
12 to 18 in	.22	.20	.15
18 to 24 in.	.37 $.55$	$\frac{.30}{.45}$	$\begin{array}{c} .25 \\ .35 \end{array}$
2 to 3 ft	. 0 0	6 F.	.00

PRINCETON NURSE	RIES		37
	Unit P 1-9	rice in Quai 10-49	ntities 50-249
LONICERA tatarica zabelli, 9'-10'		Zabell Hon	evsuckle
An improved strain of red tatarian Hor	neysuck		
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
I WOITING als in one of 407 407	Cla i a	Motoin	
LYCIUM chinense, 10'-12' Violet flowers, June. Bright red fruits.		nese Matrim	•
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	$.\overline{3}\overline{7}$.30
LYONIA ligustrina, 10'-12'		He-IIuc	kleherry
Has attractive white flowers May-July.	A hand		-
18 to 24 in., B&B		$\frac{1.90}{1.90}$	1.50
2 to 3 ft., B&B	$\frac{2.23}{3.00}$		$\frac{1.30}{2.00}$
3 to 4 ft., B&B			3.00
a(TML) a			
		~	. 3
MAGNOLIA glauca (virginiana), 15'-20'	March		weetbay
Fragrant creamy white flowers, May, moist location.	_		
3 to 4 ft., B&B	$\frac{4.50}{6.00}$	$egin{array}{c} 3.75 \ 5.00 \end{array}$	$\frac{3.00}{4.00}$
4 to 5 ft., B&B	0.00	5.00	4.00
— kobus, 20'-30'		Kobus N	Aagnolia
White flowers before leaves. Very hardy	7.		
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	8.50	7.00	5.50
6 to 8 ft., B&B 8 to 10 ft., B&B	$\begin{array}{c} 11.00 \\ 15.00 \end{array}$	$\begin{smallmatrix}9.50\\12.50\end{smallmatrix}$	$\begin{array}{c} 7.50 \\ 10.00 \end{array}$
10 to 12 ft., B&B		15.00	12.50
SAUCER MAGNOLI	IAC		
— soulangeana, 15'-18'	IAS	Saucer Mag	nolia
Purplish-pink flowers; May. Most pop	pular.	Radoor mas	110114
Beautifully grown plants. Well branch Outstanding quality.	•	budded.	
	3.00	2.50	2.00
	$\frac{3.00}{4.10}$	$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$
	5.60	4.75	3.75
	7.50	6.00	5.00
5 to 6 ft., B&B 1	0.00	8.00	6.50
alba cunorba 15/ 19/	73715	ite Saucer N	Ia gnolio
— — alba superba, 15'-18' White with pink center.	VV 11	ne bautei N	ragnona
_	9 00	0 50	
18 to 24 in., B&B 2 to 3 ft., B&B	$egin{array}{c} 3.00 \ 4.10 \end{array}$	$egin{array}{c} 2.50 \ 3.50 \end{array}$	
3 to 4 ft., B&B	5.60	4.75	
4 to 5 ft., B&B	7.50	6.00	
5 to 6 ft., B&B	10.00	8.00	



MAGNOLIA SOULANGEANA-Quality everyone wants. Strong, well-

branched, quality trees. Price reduced. Your	customers	will like t	hem.
	Unit Pri 1-9	ce in Quan 10-49	titles 50-249
MAGNOLIA stellata, 8'-10'		Star N	Iagnolia
Shrubby habit. Fragrant semi-double flo	wers con	ning before	e leaves.
18 to 24 in	6.00	5.00	
2 to 2½ ft., B&B	7.50	6.25	
$2 \frac{1}{2}$ to 3 ft., B&B	9.00	7.50	
3 to 4 ft., B&B	11.00	9.00	-
— tripetala, 30'-40'	Ţ	Jmbrella M	Iagnolia
Large leaves, white flower. Seed pods ar	e pink.		
6 to 7 ft., B&B	8.50	7.00	
7 to 8 ft., B&B	10.50	9.00	
8 to 10 ft., B&B	13.50	11.00	
MAHONIA aquifolia, 4'		Orego	n Grape
Evergreen. Glossy leaves, scarlet in autu Blue-black berries. Likes partial shade.		ow flowers	in May.
10 to 12 in., B&B	1.50	1.25	1.00
MAIDENHAIR — (See GINKGO)			
MALUS—FLOWERING	CRAB		
Our Malus are a nice lot. Clean young have ever grown.	thrifty s	tock. The	best we
MALUS arnoldiana, 8'-10' White flowers. Very compact.		Arno	old Crab
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.75	1.40	1.15
6 to 8 ft	2.25	1.90	1.50
— atrosanguinea, 10'-15'		Carmi	ine Crab
Single red flowers in abundance.			
3 to 4 ft	1.05	.90	.70
4 to 5 ft	$\frac{1.30}{1.75}$	$\frac{1.10}{1.40}$.90
5 to 6 ft	$\frac{1.75}{2.25}$	$\begin{array}{c} 1.40 \\ 1.90 \end{array}$	$1.15 \\ 1.50$
6 to 8 ft	4.40	1.90	0.1

1.05 1.30 1.75 2.25 rowing. 1.00 1.20 1.90	.90 1.10 1.40 1.90 Becht	.70 .90 1.15 1.50 an Crab
1.05 1.30 1.75 2.25 rowing. 1.00 1.20 1.90 Hopa R y. Attrac 1.05 1.30 1.75 2.25	.90 1.10 1.40 1.90 Parkma .80 1.00 1.50 ed Flowerinetive90 1.10 1.40 1.90 Bechting80 .95	.70 .90 1.15 1.50 an Crab .70 .90 1.15 1.50 tel Crab
1.30 1.75 2.25 rowing. 1.00 1.20 1.90 Hopa R y. Attrac 1.05 1.30 1.75 2.25	1.10 1.40 1.90 Parkma .80 1.00 1.50 ed Flowerin ctive. .90 1.10 1.40 1.90 Becht ing.	.90 1.15 1.50 an Crab .70 .90 1.15 1.50 tel Crab
1.30 1.75 2.25 rowing. 1.00 1.20 1.90 Hopa R y. Attrac 1.05 1.30 1.75 2.25	1.10 1.40 1.90 Parkma .80 1.00 1.50 ed Flowerin ctive. .90 1.10 1.40 1.90 Becht ing.	.90 1.15 1.50 an Crab .70 .90 1.15 1.50 tel Crab
2.25 rowing. 1.00 1.20 1.90 Hopa R y. Attract 1.05 1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	1.90 Parkma .80 1.00 1.50 ed Flowerin ctive90 1.10 1.40 1.90 Becht ing80 .95	1.50 an Crab
rowing. 1.00 1.20 1.90 Hopa R. y. Attract 1.05 1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	.80 1.00 1.50 ed Flowerin etive90 1.10 1.40 1.90 Becht ing80 .95	.70 .90 1.15 1.50 tel Crab
1.00 1.20 1.90 Hopa R. y. Attraction 1.05 1.30 1.75 2.25 e bloom 1.00 1.10 1.50	.80 1.00 1.50 ed Flowerin etive. .90 1.10 1.40 1.90 Becht ing. .80	.70 .90 1.15 1.50 tel Crab
1.00 1.20 1.90 Hopa R. y. Attraction 1.05 1.30 1.75 2.25 e bloom 1.00 1.10 1.50	1.00 1.50 ed Flowerin etive. .90 1.10 1.40 1.90 Becht ing. .80 .95	.70 .90 1.15 1.50 tel Crab
1.20 1.90 Hopa R. y. Attraction 1.05 1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	1.00 1.50 ed Flowerin etive. .90 1.10 1.40 1.90 Becht ing. .80 .95	.70 .90 1.15 1.50 tel Crab
1.90 Hopa R. y. Attraction 1.05 1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	1.50 ed Flowerin etive.	.70 .90 1.15 1.50 tel Crab
Hopa R. y. Attract 1.05 1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	ed Floweringtive90 1.10 1.40 1.90 Bechting80 .95	.70 .90 1.15 1.50 tel Crab
y. Attraction 1.05 1.30 1.75 2.25 e bloom 1.00 1.10 1.50	etive90 1.10 1.40 1.90 Becht ing80 .95	.70 .90 1.15 1.50 tel Crab
1.05 1.30 1.75 2.25 e blooms 1.00 1.10 1.50	.90 1.10 1.40 1.90 Becht ing.	.90 1.15 1.50 tel Crab
1.30 1.75 2.25 e bloom: 1.00 1.10 1.50	1.10 1.40 1.90 Becht ing. .80 .95	.90 1.15 1.50 tel Crab
1.75 2.25 e bloom: 1.00 1.10 1.50	1.40 1.90 Becht ing. .80 .95	1.15 1.50 cel Crab
2.25 e bloom: 1.00 1.10 1.50	1.90 Becht ing. .80 .95	1.50 tel Crab
e bloom: 1.00 1.10 1.50	Bechting.	cel Crab
$1.00 \\ 1.10 \\ 1.50$.80 .95	.65
$1.00 \\ 1.10 \\ 1.50$	$\begin{array}{c} .80 \\ .95 \end{array}$	
$\begin{array}{c} 1.10 \\ 1.50 \end{array}$.95	
1.50		75
	1 9 5	
2.25		1.00
0	1.90	1.50
	_	nt Crab
t fruit h	langing all	winter.
1.00	.80	.65
		1.00
		1.35
		$\frac{1.80}{2.05}$
3.40		2.25
		er Crab
w fruits	5.	
1.05	.90	.70
		.90
		1.15
		1.50
	se Floweri	ng Crab
	0.0	= 0
		.70
1.30		.90
		ea Crab
1.10	.95	
2.25	1.90	
, .	1 6	A
iarge pi	nk nowers.	A good
1.10	.95	
1.50	1.25	
	1.00 1.50 2.00 2.70 3.40 ow fruits 1.05 1.30 1.75 2.25 Chine ented. 1.05 1.30 1.25 1.30 1.75 2.25 Chine ented. 1.05 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.75 1.30 1.30 1.75 1.30 1.75 1.30 1.3	t fruit hanging all 1.00



FLOWERING CRABAPPLES—Clean, straight, well branched, quality trees.
Price reduced. Your customers will like them.

PURPLE FOLIAGED MALUS VARIETIES

Crimson Flowered

Aldenhamensis, 25'-40'. Reddish cast to foliage.

Eleyi, 10'-15'. Free blooming, reddish foliage.

Floribunda purpurea, 10'-15'. Purple foliage.

4	to	5	ft	1.30	1.10	
			ft		1.40	
6	to	8	ft	9 9 5	1.00	

MAPLE (See ACER)

MATRIMONY VINE (See LYCIUM)

MOCKORANGE (See PHILADELPHUS)

MOUNTAIN LAUREL (See KALMIA)

MYRiCA carolinensis, 4'-5'

Northern Bayberry

Does well in poor, gravelly soil. Has decorative, gray berries, and glossy, green foliage. Good for seashore.

15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	3.00	2.50	2.00
2 to 2½ ft., B&B	3.75	3.00	2.50
2^{-1} to 3 ft. B&B	5.00	4 0 0	3 2 5

MYRTLE (See VINCA)

	IES	-	41
	Unit Pr 1-9	ice in Quant 10-49	tities 50-249
			
OAK (See QUERCUS)			
OXYDENDRON arboreum, 25'-30'		So	urwood
White flowers in August. Leathery foliaging.	ge. Strik		
2 to 3 ft., BR	1.65		
3 to 4 ft., BR	2.00	1.70	1.35
PACHYSANDRA terminalis, 6"-8"		Japanese	Spurge
Evergreen. Ideal ground cover for shady	places.	-	, ,
1 year, 2 in. pots	.22	.20	.15
PHELLODENDRON amurense, 25'-30'		Amur C	orktree
Hardy interesting tree with corky bark		Amui	OTRUCC
8 to 10 ft	3.75	3.00	2.50
10 to 12 ft., $1\frac{1}{2}$ to 2 in	5.25	4.40	3.50
11 to 13 ft., 2 to $2\frac{1}{2}$ in	6.75	5.50	4.50
12 to 14 ft., $2\frac{1}{2}$ -3 in	8.50	7.00	5.50
PHILADELPHUS — MOCKO	DRANGI	Ð	
PHILADELPHUS coronarius, 9'-10'		Sweet Mock	orange
White fragrant flowers. Profusely born. N	Iay and	June.	
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
— virginalis, 7'-8'		rginal Mock	orange
Semi-double. Blooms throughout summer			
12 to 18 in	.45	.37	$\begin{array}{c} .30 \\ .40 \end{array}$
18 to 24 in	$\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$	$\begin{matrix} .50 \\ .60 \end{matrix}$.50
3 to 4 ft	1.00	.80	.65
LARGE GROWING SPE	CIES		
Distinctive habit and large sho		vers.	
— enchantment, 7'-8'. Double white in thick	•		2/3'.
— pubescens, 8'-10'. Racemes of 6 to 8 flower a half across. $2/3'$, $3/4'$.	ers. Eac	ch flower in	ch and
Above Species at following prices:			
18 to 24 in	.45	.37	.30
2 to 3 ft	$\begin{array}{c} .55 \\ .70 \end{array}$	$\begin{matrix} .45 \\ .55 \end{matrix}$	$\begin{array}{c} .35 \\ .45 \end{array}$
3 to 4 It		.00	***
SMALLER GROWING SPI		18-24'', $2-3'$	
- albatre 4'-5'. Large single white flowers. Co			
 albatre 4'-5'. Large single white flowers. Co avalanche 4'-5'. Dwarf Mockorange. Archie 	ng habi	t 18-24", 2-	3', 3-4'
 albatre 4'-5'. Large single white flowers. Co avalanche 4'-5'. Dwarf Mockorange. Archin bouquet blanc, 4'-5'. White Bouquet Mockorange. 	ng habi orange,	t 18-24", 2- 12-18", 18-	3', 3-4'
 albatre 4'-5'. Large single white flowers. Co avalanche 4'-5'. Dwarf Mockorange. Archit bouquet blanc, 4'-5'. White Bouquet Mockorange. 12 to 18 in 	ng habi orange, .37	t 18-24", 2- 12-18", 18- .30	3', 3-4' 24" .25
 albatre 4'-5'. Large single white flowers. Co avalanche 4'-5'. Dwarf Mockorange. Archie bouquet blanc, 4'-5'. White Bouquet Mockorange. 	ng habi orange,	t 18-24", 2- 12-18", 18-	3', 3-4'



PHILADELPHUS VIRGINALIS—The true sweet-scented, constant blooming, double flowering Philadelphus. Our strain is much improved by careful selection.

	Unit P 1-9	rice in Qu 10-49	antities 50-249
PHOTINIA subumbellata, 10'		Christ	masberry
Slender branched shrub. Shrubby in cha	aracter.		
18 to 24 in.	.55	.45	.35
2 to 3 ft	.70	.55	
3 to 4 ft	.85	.70	.55
PHYSOCARPUS opulifolius, 9'-10'		Common	Ninebark
Creamy white, June. Vigorous. Good for	or shade) .	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— — aurea, 9'-10'		Golden	Ninebark
Golden-leaved variety; white flowers in	early Ju	ine.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	$.\overline{3}\overline{5}$
3 to 4 ft	.70	.55	.45
PICEA excelsa (abies), 80'-100'		Norwa	ay Spruce
Dark green foliage, Rapid growth.			
2 to 2½ ft., B&B	2.50	2.00	
2 ½ to 3 ft., B&B	3.45	2.80	
3 to 4 ft., B&B	4.90	4.00	
— pungens kosteri, 60'-80'		Koster Bli	ie Spruce
Selected for rich blue color, Grafted pla	nts of q	uality.	
18 to 24 in., B&B	7.50	6.25	
2 to 2 ½ ft., B&B	10.00	8.00	

DWARF SPRUCES

We have been building up a stock of these unusual and attractive varieties of dwarf Spruces especially adapted for rockeries and locations when neat, compact evergreens are wanted.

Varieties Varieties			
	sizes Available		~
PICEA excelsa Gregoryana 12-15		0	ory Spruce
—— nidiformis 12-15", 15-1		Birdsn	est Spruce
Above varieties at following pri-			
12 to 15 in., B&B			
15 to 18 in., B&B			
18 to 24 in., B&B	5.0	0 4.00	3.25
PIERIS japonica, 5'-6'		Japanese A	ndromeda
Evergreen. Drooping clusters of	f small, white	flowers ope	en in May.
9 to 12 in., B&B			1.00
12 to 15 in., B&B			1.50
15 to 18 in., B&B			
18 to 24 in., B&B	4.5	0 3.75	3.00
PINUS montana mughus, 3'-4'		\mathbf{M}	ugho Pine
Evergreen. Forms a round-topp and foundation work.	ed clump. Us	eful for roc	k planting
9 to 12 in., B&B	1.9	0 - 1.50	1.25
12 to 15 in., B&B	2.6	2.20	1.75
— nigra, 60'-70'		Aus	trian Pine
Evergreen. Rich, dark green. background. Thrives at seashor		ise grower.	Good for
18 to 24 in., B&B	3.0	$0 \qquad \qquad 2.50$	2.00
— resinosa, 60'-70'			Red Pine
Vigorous. Dark green, stiff need	lles.		
3 to 4 ft., B&B	5.5	0 4.50	
4 to 5 ft., B&B	8.5		
5 to 6 ft., B&B			
6 to 8 ft., B&B	13.5	0 11.00	
— strobus, 80'-100'		V	White Pine
Dark green. Very adaptable. Pic	turesque whe	n old.	
3 to 4 ft., B&B	5.5	0 4.50	3.50
4 to 5 ft., B&B			$\boldsymbol{5.00}$
5 to 6 ft., B&B			6.00
6 to 7 ft., B&B	11.0	0 9.00	7.00
— sylvestris, 24'-30'			eotch Pine
Evergreen. A rapid growing, har Good for windbreaks.	idsome tree, e	specially wh	en young.
18 to 24 in., B&B			1.50
2 to 3 ft., B&B	3.0	0 2.50	2.00
PLANE TREE (See PLATANUS)			
PLATANUS occidentalis, 75'-100'			

PLATANUS occidentalis, 75'-100'

American Planetree or American Sycamore Rugged, strong growing. Has smooth, almost white bark when developed. Very picturesque.

6	to	8 ft	1.90	1.50	1.25
8	to	10 ft.	2.85	2.35	1.90

	Unit Pri 1-9	ice in Quan 10-49	tities 50-249
PLATANUS orientalis, 70'-80'	\mathbf{E}	uropean Pl	anetree
A desirable, quick growing street or pa condition.	rk tree.	Withstands	smoky
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	$\frac{2.25}{3.25}$	$\frac{1.00}{2.75}$	2.25
8 to 10 ft., 1 ½ to 1 ½ in	4.75	4.00	$\frac{2.25}{3.25}$
10 to 12 ft., 1½ to 1¾ in	6.75	5.50	4.50
10 to 12 ft., 1 ½ to 1 ¼ m	9.00	7.00	5.75
12 to 14 ft., 2 to 2 ½ in	12.00	10.00	8.00
13 to 15 ft., $2\frac{1}{2}$ to 3 in		12.50	10.00
POLYGONUM auberti, 25'		China Fle	ecevine
Strong growing vine producing foamy s and fall.	prays of	flowers in s	summer
2 year	.60	.50	.40
POPULUS alba bolleana, 50'-60' Leaves white underneath. Columnar had	bit. Good	Bolleana for screens	_
4 to 6 ft	.75	.60	
6 to 8 ft	1.10	.95	
— eugenie, 75'-90'		Carolina	Poplar
Rapid grower. Succeeds in dry places an	nd near s	eashore.	
4 to 6 ft	.55	.45	.35
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.10	.95	.75
10 to 12 ft	1.50	1.25	1.00
— maximowiczii, 60'-80'		Japanese	-
Dark green foliage. Medium spreading stately, clean tree.	form. G	ray white	bark. A
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	$\boldsymbol{1.25}$	1.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in	2.25	1.90	1.50
12 to 14 ft., 2 to $2\frac{1}{2}$ in	3.00	2.50	2.00
14 to 16 ft., $2\frac{1}{2}$ to 3 in	6.75	5.50	4.50
— nigra italica, 60'-80'		Lombardy	Poplar
Tall, spire-like. Good for landscape worl			
4 to 6 ft. whips	.37	.30	.25
6 to 8 ft	.70	.55	.45
8 to 10 ft		.90	.70
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.45	1.20	.95
PRIVET (See LIGUSTRUM)			
PRUNUS cerasiferia pissardi, 12'-15'		Purplelea	
Valued chiefly because of purplish folia year for best color effect.	ge; shoul	d be prune	ed every
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
— glandulosa alba, 5'-6'		Flowering	Almond
Double white flowers in May. Very attr	active.		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50


PRINCETON NURSE	RIES		45
	Unit Pr 1-9	rice in Quai 10-49	ntiti es 50 -2 49
PRUNUS glandulosa pink, 5'-6'	Pink	Flowering	Almond
Double pink flowers in May. Very attraction		- 10 11 01 1118	
12 to 18 in.	.45	.37	.30
18 to 24 in.	.60	.50	.40
2 to 3 ft	.75	.60	.50
2 (0 0 20		.00	.00
— maritima, 5'-6'		Bea	eh Plum
Small white flowers, April. Ideal for saing. Edible fruit.	andy soil	and seasid	le plant-
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— subhirtella autumnalis, 25'-30'		October	r Cherry
Strong sturdy tree. Semi-double, white f	lowers in		
green foliage. Brilliant fall coloring. 3 to 4 ft			15, 2411
4 to 5 ft	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$	$egin{array}{c} 1.25 \ 1.90 \end{array}$	
5 to 6 ft	$\frac{2.2.9}{3.00}$	2.50	
5 to 6 tt	9.00	2.00	
— — Beni Higan, 25′-30′		Higar	n Cherry
Small tree. Upright. Single bright pink			
3 to 4 ft	1.50	$\boldsymbol{1.25}$	1.00
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft.	4.50	$\frac{3.75}{5.00}$	3.00
6 to 10 ft	6.00	5.00	4.00
— — pendula, 12'-15'	Weeping	g Japanese	Cherry
A most beautiful and graceful tree, coin early spring.	overed w	ith pink b	olossoms
4 to 5 ft. stems, 1 year heads	3.75	3.00	2.00
5 to 6 ft. stems, 1 year heads	5.25	4.40	3.50
4 to 5 ft. stems, 2 year heads	6.00	5.00	4.00
5 to 6 ft. stems, 2 year heads	7.50	6.00	5.00
— pendula, 12'-15' These trees are grown on Prunus pend	-	g Japanese s and are	•
and of good quality. Preferred by man			
2 to 3 ft., stems	1.50	1.25	
3 to 4 ft. stems	2.25	1.90	
4 to 5 ft stems	3.75	3.00	
5 to 6 ft. stems	5.25	4.40	
— tomentosum, 6'-7'		Nanking	Cherry
Fruits are light red; flowers white, b	efore le	aves appea	r. Very
showy.			
	.70	.55	.45
18 to 24 in. 2 to 3 ft.	$\begin{array}{c} .70 \\ .85 \end{array}$	$\begin{array}{c} .55 \\ .70 \end{array}$.45
18 to 24 in	.85		.55
18 to 24 in	.85 Dou	.70 ableflowerin	.55
18 to 24 in	.85 Dou	.70 ableflowerin	.55
18 to 24 in	.85 Dou lsome ai	.70 ableflowerin ad useful.	.55 ng Plum



PRUNUS KWANZAN—The best double pink Japanese cherry. We have a superb lot of young well-branched plants.

		Unit Price in Quantities		
	1-9	10-49	50 - 249	
JAPANESE CHERRI	ŒS			
PRUNUS amanogawa, 20'-25' Semi-double pale pink flowers in profus	sion.			
3 to 4 ft	$\begin{smallmatrix}2.25\\3.00\end{smallmatrix}$	$\begin{smallmatrix}1.90\\2.50\end{smallmatrix}$	$\frac{1.50}{}$	
— ichiyo (hisakura), 25'-35'				
Flowers double pink.				
2 to 3 ft	1.50	1.25	1.00	
3 to 4 ft	2.25	1.90	1.50	
4 to 5 ft	3.00	2.50	2.00	
— J. H. Veitch (fugenzo), 30' Flowers double pink				
2 to 3 ft	1.50	1.25	1.00	
3 to 4 ft	2.25	1.90	1.50	
— Kanzan (Serr. Sekiayama) (Kwanzan), 4	·O'			
Dbl. deep pink. The best double flowering thrifty, and well grown.		v. Ours ar	e young,	
18 to 24 in	.75	.60	.50	
2 to 3 ft.	1.10	.95	.75	
3 to 4 ft.	1.90	1.50	1.25	
4 to 5 ft	2.25	1.90	1.50	
5 to 6 ft.	3.00	2.50	2.00	
6 to 8 ft.	4.10	3.50	2.75	

PRINCETON NURSE	RIES		47
	Unit Price 1-9	in Qua 10-49	ntities 50-249
PRUNUS naden, 40'			
Semi-double. Pale pink.			
3 to 4 ft	2.25	1.90	
4 to 5 ft	$\begin{matrix}3.00\\3.75\end{matrix}$	$egin{smallmatrix} 2.50 \ 3.00 \end{smallmatrix}$	
	0.10	9.00	
— Paul Wohlert, 25'-30' Double, deep pink flowers; semi-dwarf	form		
3 to 4 ft	2.25	1.90	1.50
4 to 5 ft	$\frac{2.26}{3.00}$	$\frac{2.50}{2.50}$	2.00
— Shirofugen (Serr. Alba-Rosea), 25'-30'			
Dbl. white, pink bud.			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
EXTRA CHARGE FOR DIGGING CHER SCHEDULE, Page		B—SEE	в&в
PSEUDOTSUGA douglasi (taxifolia), 70'-80'			ouglas-fir
Hardy. Dark bluish green coloring. Doe tion.			
15 to 18 in., B&B	$egin{smallmatrix} 2.25 \ 3.40 \end{smallmatrix}$	$egin{array}{c} 1.90 \ 2.80 \end{array}$	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$
2 to 3 ft., B&B	$\frac{3.40}{4.90}$	$\frac{2.30}{4.05}$	3.25
3 to 4 ft., B&B	6.75	5.50	
4 to 5 ft., B&B	9.00	7.50	
PTELEA trifoliata, 10'-12' Has clusters of fruit that look and sme	ll like hops		Hop Tree
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
6 tc 8 ft	1.10	.95	.75
PYRACANTHA coccinea lalandi, 9'-12' Evergreen. A beautiful broad-leaved ev of orange berries in the fall. Needs pro	ergreen wi	th large	
12 to 15 in., 4 in. pot	1.10	.95	.75
15 to 18 in., 4 in. pot	1.50	${\bf 1.25}$	1.00
— crenulata, 9'-12' Glossy foliage; bright red berries.	Extremely		Firethorn tive and
desirable. 15 to 18 in., 4 in. pot	1.90	1.50	1.25
18 to 24 in., 4 in. pot	2.60	2.20	1.75
NURSERY GROWN O	AKS		
QUERCUS alba, 100'	Molece		hite Oak
Most rugged of all Oaks. Slow growing. 6 to 8 ft	Makes ma 3.75	$rac{3.00}{3.00}$	$rac{2.50}{2.50}$
8 to 10 ft., 1 to 1¼ in	4.50	3.75	3.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	$\frac{6.00}{7.50}$	5.00	$\frac{4.00}{5.00}$
9 to 11 ft., 1½ to 1¾ in	$\begin{array}{c} 7.50 \\ 9.00 \end{array}$	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$
11 to 13 ft., 2 to 2 ¼ in	11.00	9.00	7.50
12 to 14 ft., 2 1/4 to 2 1/2 in	$\begin{smallmatrix}13.00\\17.00\end{smallmatrix}$	$\begin{array}{c} 11.00 \\ 14.00 \end{array}$	$\begin{array}{c} 9.00 \\ 11.00 \end{array}$
13 to 15 ft., 2½ to 3 in	11.00	14.00	11.00



PIN OAKS—Straight, clean, well-branched. Heavy caliper. Princeton quality.

	Unit Pr 1-9	rice in Qua 10-49	ntities 50-249
QUERCUS bicolor, 60'		Swamp W	hite Oak
Large tree. Round open head. Gray scaly	bark.	_	
8 to 10 ft., 1¼ to 1½ in	4.50	3.75	3.00
9 to 11 ft., 1½ to 1¾ in	6.00	5.00	4.00
10 to 12 ft., 1 ¾ to 2 in	7.50	6.00	5.00
11 to 13 ft., 2 to 2 1/4 in.	9.00	7.50	6.00
12 to 14 ft., 2 ½ to 3 in	11.00	9.00	7.50
— coccinea, 75 ′- 90 ′		Sca	rlet Oak
Stately, tall grower. Deeply cut leaves. S	triking	autumn col	lor.
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in	4.50	3.75	3.00
9 to 11 ft., 1 ¼ to 1 ½ in	6.00	5.00	4.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.00	8.00	6.50
11 to 13 ft., $1\frac{3}{4}$ to 2 in	12.00	10.00	8.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in	15.00	12.25	10.00
— macrocarpa, 75'-80'		Mossy	cup Oak
Vigorous. Has corky branches.			
8 to 10 ft., 1 to 1¼ in	4.90	4.05	3.25
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 ¾ to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2 ½ in	$\frac{11.00}{12.00}$	9.00	7.50
13 to 15 ft., $2\frac{1}{2}$ to 3 in	$\frac{13.00}{10.00}$	$\begin{array}{c} 11.00 \\ 15.00 \end{array}$	$\begin{array}{c} 9.00 \\ 12.50 \end{array}$
13 to 15 ft., 3 to $3\frac{1}{2}$ in	19.00	10.00	12.50
— palustris, 75'-90'			Pin Oak
Most desirable and adaptable. Excellent	autumi	n foliage.	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in	4.50	3.75	3.00
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	8.50	7.00	5.50
10 to 12 ft., 1 3/4 to 2 in	10.00	8.00	6.50
12 to 14 ft., 2 to 2 1/4 in	12.00	10.00	8.00
12 to 15 ft., 2 ¼ to 2 ½ in	15.00	12.25	10.00

TRINCETON NURSE.	RIES		49
	Unit P 1-9	rice in Quar 10-49	tities 50-249
QUERCUS prinus, 50'		Chest	nut Oak
Picturesque rugged habit.			nuo oun
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., 1 to 1 1/4 in.	$\frac{3.40}{4.50}$	$\frac{2.50}{3.75}$	$\frac{2.23}{3.00}$
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in.	6.00	5.00	$\frac{3.00}{4.00}$
10 to 12 ft., 1½ to 2 in.	7.50	6.00	5.00
11 to 13 ft., 2 to $2\frac{1}{2}$ in	9.00	7.50	6.00
— robur fastigiata, 60'	Pyra	amidal Engl	ish Oak
Narrow columnar. Long lived.			
8 to 10 ft., 1 1/4 to 1 1/2 in., B&B	15.00	12.50	
9 to 11 ft., 1¼ to 1½ in., B&B	19.00	15.00	
10 to 12 ft., 1½ to 1¾ in., B&B	22.00	18.00	
11 to 13 ft., 1¾ to 2 in., B&B	$\frac{27.00}{20.00}$	22.50	
12 to 15 ft., 2 to 2½ in., B&B	$\frac{32.00}{39.00}$	$\begin{smallmatrix}27.00\\32.50\end{smallmatrix}$	
	39.00		
— rubra (borealis maxima), 75'-90' Quick growing. Good autumn coloring.		Common I	ted Oak
8 to 10 ft., 1 to 1¼ in	4.50	3.75	3.00
9 to 11 it., 1 to 1 ½ in	6.00	$\frac{5.75}{5.00}$	$\frac{3.00}{4.00}$
10 to 12 it., 1½ to 1¾ in	10.00	8.00	6.50
11 to 13 ft., 1 ¾ to 2 in.	12.00	10.00	8.00
12 to 15 ft., 2 to 2 ½ in.	15.00	12.25	10.00
— variabilis, 75'-90'.			ital Oak
A handsome tree with distinct chestnut	liko fo		itai Oak
		0	
8 to 10 ft., 1 to 1½ in	$\frac{6.00}{7.50}$	$\frac{5.00}{6.00}$	-
9 to 11 ft., 1¼ to 1½ in	7.50	$\begin{smallmatrix}6.00\\8.00\end{smallmatrix}$	
10 to 12 ft., 1½ to 1¾ in	$\begin{array}{c} 10.00 \\ 12.00 \end{array}$	10.00	
	12.00	10.00	
QUINCE, FLOWERING (See CYDONIA)			
÷(R);			
REDBUD (See CERCIS)			
RETINOSPORA (See CHAMAECYPARIS)			
RHAMNUS caroliniana, 25'		Carolina Bu	ekthorn
Rich green foliage. Red berries turning	black v	when ripe.	
5 to 6 ft	1.10	.95	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.10	1.75	
— cathartica, 9'-10'	(Common Bu	ekthorn
Dark green foliage. Black berries.			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— frangula, 8'-9'		Glossy Bu	ckthorn
Excellent foliage. Red berries turning b	lack wh	en ripe.	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75

50 PRINCETON NURSE	RIES		
	Unit Pri 1-9	ce in Qua 10-49	ntities 50-249
RHODODENDRON	\mathbf{S}		
RHODODENDRON carolinanum, 4'-6'	Carol	ina Rhodo	odendron
Bright pink flowers, May-June. One of the spaces.		r planting	g in open
18 to 24 in., B&B 2 to 3 ft., B&B	$\begin{array}{c} 5.25 \\ 6.75 \end{array}$	$\begin{array}{c} 4.40 \\ 5.50 \end{array}$	$\begin{array}{c} 3.50 \\ 4.50 \end{array}$
— catawbiense, 6'-9' Large rosy purple flowers, May-June. D		ba Rhodo n partial	
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2 ½ ft., B&B	4.50	3.75	3.00
2 ½ to 3 ft., B&B	$\frac{6.00}{7.50}$	5.00	
3 to 4 ft., B&B	7.50	6.00	5.00
— maximum, 8'-10' Striking light pink flowers, May-June. D			areas.
2 to 2 ½ ft., B&B	4.10	3.50	2.75
2 ½ to 3 ft., B&B	5.00	4.00	3.25
3 to 4 ft., B&B	6.00	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	$\begin{array}{c} 4.00 \\ 6.00 \end{array}$
4 to 5 ft., B&B 5 to 6 ft., B&B	$\begin{smallmatrix}9.00\\12.00\end{smallmatrix}$	10.00	8.00
		10.00	0.00
HYBRID RHODODENI			
In addition to the varieties listed we ha of fair and good quality which will be and size. Sold only on customer's person	priced ac	cording t	o variety
Album elegans. Light blush changing to whi $2-2\frac{1}{2}$;		3-3 ½'; 3 ½	/ ₂ -4'; 4-5'
Catawbiense grandiflora. Lavender pink. 2-2	1/2'; 2 1/2-	3'; 3-3 ½	' .
Lady Armstrong. Rose pink. 2-21/2'; 21/2-3-;	$3-3\frac{1}{2}'$.		
Roseum elegans. Lavender-pink. 15-18"; 18-24"; 2-2½'; 2	3½-3'; 3-	3 ½'; 3 ½	-4'; 4-5'.
Roseum superbum. Clear, soft coral-rose. 3-3 ½	′ ₂ ′; 3 ½ -4′	; 5'.	
Foregoing varieties at the following pr			
15 to 18 in., B&B	5.00	4.00	
18 to 24 in., B&B	6.00	5.00	
2 to 2½. ft., B&B	10.00	7.50	
2 ½ to 3 ft., B&B	12.50	10.00	
3 to 3½ ft., B&B	15.00	12.50	
3 ½ to 4 ft., B&B	$\begin{smallmatrix}19.00\\22.00\end{smallmatrix}$	$\begin{array}{c} 15.00 \\ 17.50 \end{array}$	
Boule de Neige, Dwarf, Clear white,			
18 to 24 in., B&B	10.00	7.50	
2 to 2½ ft., B&B		10.00	
See also AZALEA for species and var	rieties co	mmonly l	known as

See also AZALEA for species and v Azalea.

RHODOTYPOS kerrioides Fresh green foliage.		(scandens), 4'-5'			White Kerria		
_	_		flowers,	May,	June.	Shiny	bead-like
black berries	all winte	er.					

12	to	18 in	.45	.37	.30
18	to	24 in	.60	.50	.40
2	to	3 ft	.75	.60	.50
3	to	4 ft	1.10	.90	.70

	Unit Pr 1-9	ice in Quan 10-49	tities 50-249
RHUS copallina, 12'-13'		Shining	Sumac
Showy crimson fruits. Rich autumn cole	oring. Go		
dry locations.	oring, at	ou in poor	5011 01
	4 ~	0.5	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— cotinus, 14'-15'	Co	mmon Smo	ke Tree
18 to 24 in	.80	.65	.50
2 to 3 ft		.80	.75

— glabra, 10'-12'			Sumac
Crimson fruits in bunches. Rich autumn	coloring	. Good in po	oor soil.
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
4 11 47/40/		Q1 3	
— typhina, 15'-18' Picturesque habit. Brilliant autumn effe	ct.	Staghorn	Sumac
2 to 3 ft	.37	.30	.25
3 to 4 ft	.55	.45	.35
4 to 5 ft	.70	.55	.45
—— laciniata, 14'-15'		Shredded	Sumac
Finely cut leaves giving feathery appea			
18 to 24 in			.25
2 to 3 ft	.45	.37	.30
ROBINIA hispida, 5'-6'		Ros	e-acacia
Rosy pink pea shaped flowers May, June			
18 to 24 in.		4 =	0.5
	.55		.35
2 to 3 ft	.70	.55	.45
ROSA blanda, 4'-5' Pink, May. Almost thornless. Reddish b	ranches.	Meado	ow Rose
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— hugonis, 6' Bright yellow flowers. Reddish wood. Up		lden Rose o xcellent typ	
rose.			
18 to 24 in	.75	.60	.50
2 to 3 ft	$\boldsymbol{1.00}$.80	.65
— lucida (virginiana), 5'-6'		Virgin	nia Rose
Pink, June, July. Excellent border or neglect.	aturalizi		
12 to 18 in	.37	.30	0.5
			.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— multiflora, 9'-10'		Japanese	Rose
White, June. Strong grower. Free	flowering	_	
popular demand for hedges, screens			
planting. Use strong large plants for			
18 to 24 in	22	.20	.15
2 to 3 ft	.30	.25	$\frac{.20}{}$
3 to 4 ft	.37	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.70	.55	.45

	Unit Pri 1-9	ce in Quant 10-49	tities 50-249
ROSA nitida, 3'-4'		Brist	ly Rose
Deep pink, June. Good for holding banding; good autumn coloring.	ks and ge	eneral mass	s plant-
12 to 18 in	.37	.30	.25
18 to 24 in	$.\overline{5}\overline{5}$.45	.35
— palustris (carolina), 6'-8'		Swam	np Rose
Pink, June-August. Does best in moist	location.		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— rubiginosa, 5'-6'			eetbrier
Bright pink flowers in June. Good folias	ge with a	romatic od	or.
12 to 18 in	.37	.30	.25
18 to 24 in	, 55	.45	.35
— rubrifolia (ferruginea), 5'-6'		Redle	af Rose
Distinct purplish-red foliage and bark	. Excelle	nt winter s	subject.
18 to 24 in		.45	.35
2 to 3 ft	.70	.55	.45
4. ~.		Red Rugo	ea Rose
— rugosa, 4'-5'		_	
Rich green foliage. Large red fruits. Pi Good seaside plant.	nk flower	's June-Sep	tember.
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	
— setigera, 5'-6'		Prair	ie Rose
Deep rose flower, June-July. Vigorous	grower.		
_	.30	.25	.20
12 to 18 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
5 to 4 it		.00	, ,
— wichuraiana white, 10'-12'		Wichuri	
Prostrate trailing plant. Rich, shiny White flowers, late blooming.	foliage,	almost eve	ergreen.
18 to 24 in., 1 year	.55	.45	.35
2 to 3 ft., 2 year		.55	.45
CLIMBING ROSES OR RA	MBLERS	8	
Dorothy Perkins. Double shell pink.			
Excelsa. Double crimson.			
Hiawatha. Single red.			
White Dorothy Perkins. Double white	ρ		
· ·	.45	.37	.30
18 to 24 in., 1 year 2 to 3 ft., 2 year	.60	.57	.40
2 to 5 ft., 2 year	.00	.00	0



SALISBURIA adiantifolia (See GINKGO)

SALIX adenophylla, 6'		Furry	Willow
Similar to matabilis but heavier catkin	bearer.		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.10	.90	.75
— babylonica, 50'-60'	-	Weeping	
One of the best weepers. Long pendulo waterside planting.	ous branc	hes. Excel	lent for
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.30	$\frac{1.10}{1.50}$.90
6 to 8 ft	1.90	1.50	1.25
— salamoni (sepulcralis), 40'-50'		n Weeping	Willow
Similar to Babylonica, but not so pendu	llous.		
4 to 5 ft	.75	.60	.50
5 to 6 ft	$\frac{1.10}{1.00}$	$\frac{.95}{1.50}$	$\begin{matrix} .75 \\ 1.25 \end{matrix}$
6 to 8 ft 8 to 10 ft	$\substack{1.90 \\ 2.60}$	$\substack{1.50\\2.20}$	1.25 1.75
— blanda, 40'-50'		n Weeping	Willow
Spreading habit. Pendulous at tips. Har			
4 to 5 ft	1.00	.80	.65
5 to 6 ft	$\frac{1.50}{2.00}$	1.25	$\frac{1.00}{1.75}$
8 to 10 ft	$\boldsymbol{2.60}$	2.20	1.75
— caprea, 15'-20'		Goat	Willow
Very desirable for spring effects. Will	do well		
Very desirable for spring effects. Will wet places.		in dry as	well as
Very desirable for spring effects. Will wet places. 18 to 24 in	.37	in dry as	well as
Very desirable for spring effects. Will wet places.		in dry as	well as
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.37 .55 .70 .85	.30 .45 .55 .70	.25 .35 .45 .55
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 $.55$ $.70$.30 .45 .55	.25 .35 .45
Very desirable for spring effects. Will wet places. 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 6 to 8 ft — discolor, 20'	$\begin{array}{c} .37 \\ .55 \\ .70 \\ .85 \\ 1.65 \end{array}$.30 .45 .55 .70	.25 .35 .45 .55 1.10
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. — discolor, 20' Similar to caprea.	.37 .55 .70 .85 1.65	.30 .45 .55 .70 1.35	.25 .35 .45 .55 1.10
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Ameri	.30 .45 .55 .70 1.35 can Pussy	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Ameri	.30 .45 .55 .70 1.35 can Pussy	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Ameri	.30 .45 .55 .70 1.35 can Pussy	.25 .35 .45 .55 1.10 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 American	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25	.25 .35 .45 .55 1.10 Willow .50 .75 1.00
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlower planting	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25	.25 .35 .45 .55 1.10 Willow .50 .75 1.00
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove typlanting 1.10	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove planting 1.10 1.90	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove planting 1.10 1.90	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlove planting 1.10 1.90	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlovet planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g. .95 1.50 2.20	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. - discolor, 20' Similar to caprea. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - elegantissima, 60'-70' Vigorous upright grower; best for street 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. - incana, 8'-10' Attractive silvery leaves. Slow growing in appearance.	.37 .55 .70 .85 1.65 Americant .75 1.10 1.50 Thurlow planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g. .95 1.50 2.20 Eleagnus les Russia	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. - discolor, 20' Similar to caprea. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - elegantissima, 60'-70' Vigorous upright grower; best for strees to 6 ft. 6 to 8 ft. 8 to 10 ft. - incana, 8'-10' Attractive silvery leaves. Slow growing in appearance. 18 to 24 in.	.37 .55 .70 .85 1.65 Americal .75 1.10 1.50 Thurlow planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g95 1.50 2.20 Eleagnus les Russia	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75 Willow n Olive
Very desirable for spring effects. Will wet places. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. - discolor, 20' Similar to caprea. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. - elegantissima, 60'-70' Vigorous upright grower; best for street 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. - incana, 8'-10' Attractive silvery leaves. Slow growing in appearance.	.37 .55 .70 .85 1.65 Americant .75 1.10 1.50 Thurlow planting 1.10 1.90 2.60	.30 .45 .55 .70 1.35 can Pussy .60 .95 1.25 v Weeping g. .95 1.50 2.20 Eleagnus les Russia	.25 .35 .45 .55 1.10 Willow .50 .75 1.00 Willow .75 1.25 1.75

or remonstration mentals	TUIDO		
	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
SALIX niobe, 40'-50'	Niob	e Weeping	Willow
Weeping form with golden bark.			
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.30	1.10	.90
6 to 8 ft	2.00	1.70	1.35
— pentandra, 20'-30'		Laurel	Willow
Upright. Shiny dark-green leaves. Exce	ellent in s	easide plan	nting.
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.05	.90	.70
6 to 8 ft	2.00	1.70	1.35
8 to 10 ft	$\frac{2.60}{2.75}$	$\frac{2.20}{2.00}$	1.75
10 to 12 ft	3.75	3.00	2.50
— vitellina aurea pendula, 25'-30'		ng Golden	
Weeping tree similar to Salix babylonic			nches.
4 to 5 ft	1.00	.80	.65
5 to 6 ft	$\frac{1.50}{2.05}$	1.25	$\frac{1.00}{1.50}$
6 to 8 ft	$\begin{smallmatrix}2.25\\3.00\end{smallmatrix}$	$egin{array}{c} 1.90 \ 2.50 \end{array}$	$egin{array}{c} 1.50 \ 2.00 \end{array}$
	0.00		
SAMBUCUS canadensis, 8'-9' White, fragrant flowers, June-July. Bla	ek herrie		in Elder
in moist locations.	ick beille:	s, earbre. k	succeeus
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— acutiloba (rubra), 7'-9' Similar to above but has deeply cut, fe		f America iage.	ın Elder
2 to 3 ft. 3 to 4 ft.	,	$\begin{matrix} .45 \\ .55 \end{matrix}$	$\begin{matrix} .35 \\ .45 \end{matrix}$
SNOWBALL (See VIBURNUM)			
SNOWBELL (See STYRAX)			
SNOWBERRY (See SYMPHORICARPOS)			
SORBARIA aitchisoni, 4'-5'	Ka	shmir Fals	se-spirea
Graceful compound foliage. Creamy wh			_
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft		.55	.45
SORBUS aucuparia, 25'-30'	Europ	ean Moun	tain-Ash
A valuable tree on a small lawn; the striking.	_		
4 to 5 ft	1.90	1.50	
5 to 6 ft		2.05	
6 to 8 ft	3.30	2.75	
SPICE BUSH (See BENZOIN)			
SPIRAEA arguta, 5'-'6		Garlan	d Spirea
Very free flowering. Somewhat simil vigorous.	lar to the		_
12 to 18 in.	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45

	Unit Pri 1-9	ce in Quant 10-49	ities 50-249
SPIRAEA billiardi, 5'-6'		Billiard	Spirea
Bright pink, fluffy flower spikes, Julytions.	October.	Good in dry	y loca-
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
— bumalda, 3'		Bumalda	Spirea
Light pink flowers, July-September. A	good dwa		_
12 to 15 in.	.30	.25	.20
15 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
— — Anthony Waterer, 3'	Antho	ny Waterer	Spirea
Deep rich, rose-pink. Sometimes slig Blooms all summer. Rich, reddish gree	ght varieg	•	_
9 to 12 in		.25	.20
12 to 15 in	.37	.30	.25
15 to 18 in.,		.40	.30
18 to 24 in		.50	.40
— — froebeli 4'-5'		Frobel	Spirea
Taller and more vigorous than Anthopink flowers.	ony Wate		-
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 2½ ft	.60	.50	.40
— prunifolia plena, 7'-8'		Bridal	wreath
The true bridalwreath. White semi-do Glossy dark green leaves. Rich fall colo		ers in abun	idance.
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— reevesiana, 7'-8'		Reeves	Spirea
Pure white, May-June. Graceful, archin late. Single or double varieties.	g habit; r	etains leave	s until
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
—— fl. pl. (Lanceata), 7'-8'	Dou	ble Reeves	Spirea
Arching habit. Similar in habit and flow	ver to Spi	rea Vanhou	tte.
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— thunbergi, 4'-5'		Thunberg	Spirea
Slender arching branches covered with May. Feathery light green foliage.	pure wh	ite flowers,	April-
9 to 12 in	.30	.25	.20
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35

### PIRAEA tomentosa, 3'-4' Wooly, rose-pink flowers. July-September. Good in low ground plantings. 18 to 24 in	PRINCETON NURSE.	RIES		
Wooly, rose-pink flowers. July-September. Good in low groun-plantings. 18 to 24 in				
plantings. 18 to 24 in	SPIRAEA tomentosa, 3'-4'		Н	ardhack
2 to 3 ft		ber. Good	in low	ground
3 to 4 ft. .70 .55 .4 .70 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .4 .70 .75 .7		.37	.30	.25
wanhouttei, 8'-9' White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 12 to 18 in				
White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 12 to 18 in	3 to 4 ft	.70	.55	.45
White, May-June. Graceful habit. Free flowering. A most adaptable and useful shrub. 12 to 18 in	— vanhouttei. 8'-9'	7	Vanhoutt	e Spirea
18 to 24 in	White, May-June. Graceful habit. Free t			_
18 to 24 in	12 to 18 in	.20	.15	.10
2 to 3 ft				.18
STAPHYLEA colchica, 10'-12' Colchis Bladdernu Fragrant white flowers in May and June. Decorative seed pods. 6 to 8 ft. 2.10 1.75 1.4 8 to 10 ft. 2.70 2.25 1.8 - trifoliata, 10'-15' American Bladdernu Dense shrub with numerous stout upright branches from base Decorative seed pods. 5 to 6 ft. 1.10 .95 .7 6 to 8 ft. 1.10 .95 .7 6 to 8 ft. 1.50 1.25 1.0 SPRUCE (See PICEA) STEPHANANDRA flexuosa, 5'-6' Cutleaf Stephanandra Graceful, compact habit; handsome foliage. 18 to 24 in. .37 .30 .2 2 2 to 3 ft. .35 .45 .3 STYRAX japonica, 12'-15' Japanese Snowber White, ball shaped pendant flowers, June-July. Makes a striking handsome specimen. 6 to 8 ft. B&B 11.00 9.50 — SUMAC (See RHUS) SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowberr Brighter berries than vulgaris. Excellent for shade plantings.		.37	.30	.25
Fragrant white flowers in May and June. Decorative seed pods. 6 to 8 ft. 2.10 1.75 1.4 8 to 10 ft. 2.70 2.25 1.8 — trifoliata, 10'-15' American Bladdernu Dense shrub with numerous stout upright branches from base Decorative seed pods. 5 to 6 ft. 1.10 .95 .7 6 to 8 ft. 1.50 1.25 1.0 SPRUCE (See PICEA) STEPHANANDRA flexuosa, 5'-6' Cutleaf Stephanandr Graceful, compact habit; handsome foliage. 18 to 24 in .37 .30 .2 2 to 3 ft55 .45 .3 STYRAX japonica, 12'-15' Japanese Snowbe White, ball shaped pendant flowers, June-July. Makes a striking handsome specimen. 6 to 8 ft., B&B 11.00 9.50 — 8 to 10 ft., B&B 15.00 12.50 — SUMAC (See RHUS) SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowberr Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in .22 .20 .1 18 to 24 in .30 .25 .2 2 to 3 ft35 .2 — racemosus (albus), 5'-6' Snowberr Conspicuous white berries. Attractive foliage. Good in half shad and moist locations. 12 to 18 in .25 .20 .1 18 to 24 in .30 .25 .2		.55	.45	.35
6 to 8 ft. 2.10 1.75 1.4 8 to 10 ft. 2.70 2.25 1.8 — trifoliata, 10'-15' American Bladdernu Dense shrub with numerous stout upright branches from base Decorative seed pods. 5 to 6 ft. 1.10 .95 .7 6 to 8 ft. 1.50 1.25 1.0 SPRUCE (See PICEA) STEPHANANDRA flexuosa, 5'-6' Cutleaf Stephanandr Graceful, compact habit; handsome foliage. 18 to 24 in .37 .30 .2 2 to 3 ft55 .45 .3 STYRAX japonica, 12'-15' Japanese Snowbe White, ball shaped pendant flowers, June-July. Makes a striking handsome specimen. 6 to 8 ft. B&B 11.00 9.50 — 8 to 10 ft., B&B 15.00 12.50 — SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowbern Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in .22 .20 .1 18 to 24 in .30 .25 .2 2 to 3 ft45 .35 .2 — racemosus (albus), 5'-6' Snowbern Conspicuous white berries. Attractive foliage. Good in half shad and moist locations. 12 to 18 in .25 .20 .1 18 to 24 in .30 .25 .2 2 to 3 ft45 .35 .2 2 to 3 ft35 .2 2 2 to 3 ft35 .2 2 2 to 3 ft35 .2 2 2 to 3 ft35 .35 .35 .35 .35 .35 .35 .35 .35 .3	STAPHYLEA colchica, 10'-12'			
Sto 10 ft. 2.70 2.25 1.8			ve seed	pods.
Dense shrub with numerous stout upright branches from base				1.40 1.80
Dense shrub with numerous stout upright branches from base	— trifoliata, 10'-15'	Amer	rican Bla	addernu
6 to 8 ft	Dense shrub with numerous stout up			
SPRUCE (See PICEA) STEPHANANDRA flexuosa, 5'-6' Cutleaf Stephanandr Graceful, compact habit; handsome foliage. 18 to 24 in	5 to 6 ft			.73
Cutleaf Stephanandr Graceful, compact habit; handsome foliage. 18 to 24 in	6 to 8 ft	1.50	1.25	1.00
Cutleaf Stephanandr Graceful, compact habit; handsome foliage. 18 to 24 in	SPRUCE (See PICEA)			
18 to 24 in	STEPHANANDRA flexuosa, 5'-6'		eaf Steph	anandra
2 to 3 ft	-	0	9.0	9
White, ball shaped pendant flowers, June-July. Makes a striking handsome specimen. 6 to 8 ft., B&B	2 to 3 ft			.33
8 to 10 ft., B&B			_	
SUMAC (See RHUS) SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowbern Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in		11.00	9.50	
SWEET GUM (See LIQUIDAMBAR) SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowbern Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in	8 to 10 ft., B&B	15.00	12.50	-
SYCAMORE (See PLATANUS) SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowbern Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in. .22 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2 — racemosus (albus), 5'-6' Snowbern Conspicuous white berries. Attractive foliage. Good in half shade and moist locations. 12 to 18 in. .25 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2	SUMAC (See RHUS)			
SYMPHORICARPOS chenaulti, 6'-8' Chenault Snowbern Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in. .22 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2 — racemosus (albus), 5'-6' Snowbern Conspicuous white berries. Attractive foliage. Good in half shade and moist locations. 12 to 18 in. .25 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2	SWEET GUM (See LIQUIDAMBAR)			
Brighter berries than vulgaris. Excellent for shade plantings. 12 to 18 in	SYCAMORE (See PLATANUS)			
12 to 18 in	SYMPHORICARPOS chenaulti, 6'-8'	Che	nault Si	nowberr
12 to 18 in	Brighter berries than vulgaris. Excelle	nt for shad	le planti	ngs.
18 to 24 in				.1
2 to 3 ft. .45 .35 .2 — racemosus (albus), 5'-6' Snowbern Conspicuous white berries. Attractive foliage. Good in half shad and moist locations. .25 .20 .1 12 to 18 in. .25 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2				.2
Conspicuous white berries. Attractive foliage. Good in half shad and moist locations. 12 to 18 in. .25 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2				.2
12 to 18 in. .25 .20 .1 18 to 24 in. .30 .25 .2 2 to 3 ft. .45 .35 .2	— racemosus (albus), 5'-6' Conspicuous white berries. Attractive	foliage. Go		
18 to 24 in	and moist locations.			
2 to 3 ft				.1
				.2
3 to 4 ft				.2
	3 to 4 ft	.55	.45	.3

Unit Pric	e in Quant 10-49	ities 50-249
4'-5'	Cora	alberry
n shade a	nd bank pl	anting.
		.15
		.20
		.25
		.35
. 0 0		
	Sw	eetleaf
ig branch	es. Hardy;	white
.60	.50	
.75	.60	
	.80	
	Chines	e Lilac
let flower	rs in May	Free-
ice nowe	is in may	. Picc-
0.77	9.0	0.5
		.25
		.35
		.45
.85	.70	.55
Pur	ple Chines	e Lilac
.37	.30	
.55	.45	
.70	.55	
	Hungaria	n Lilac
en foliage		
.45	.37	.30
		.40
ushy habi		te Lilac
27	2 0	0.5
.01	. 5 U	.25
	15	
.55	.45	
$\begin{matrix} .55 \\ .75 \end{matrix}$.60	.50
.55		.50
$.55 \\ .75 \\ .90$.60	$\begin{array}{c} \textbf{.} 5 0 \\ \textbf{.} 6 0 \end{array}$
.55 .75 .90	.60 .75 amon Purp	.50 .60 le Lilac
.55 .75 .90 Com	.60 .75 amon Purp	.50 .60 le Lilac .25
.55 .75 .90 Com	.60 .75 amon Purp .30 .37	.50 .60 le Lilac .25 .30
.55 .75 .90 Com .37 .45	.60 .75 amon Purp .30 .37 .50	.50 .60 le Lilac .25 .30 .40
.55 .75 .90 Com	.60 .75 amon Purp .30 .37	.50 .60 le Lilac .25 .30 .40
.55 .75 .90 Com .37 .45 .60	.60 .75 amon Purp .30 .37 .50	$egin{array}{c} .25 \ .30 \ .40 \ .50 \end{array}$
.55 .75 .90 Com .37 .45 .60 .75	.60 .75 amon Purp .30 .37 .50 .60	.50 .60 le Lilac .25 .30 .40 .50
.55 .75 .90 Com .37 .45 .60 .75	.60 .75 amon Purp .30 .37 .50 .60 amon Whit	.50 .60 le Lilac .25 .30 .40 .50 te Lilac
.55 .75 .90 Com .37 .45 .60 .75	.60 .75 amon Purp .30 .37 .50 .60	.50 .60 le Lilac .25 .30 .40 .50
	4'-5' n shade a .25 .30 .45 .55 ag branch .60 .75 1.00 elet flower .37 .55 .70 .85 Pur .37 .55 .70 en foliage .45 .60	4'-5' Coran shade and bank planes and shade and bank planes are shaded and

FRENCH LILACS — NAMED VARIETIES

*Special price—See page 59

Adelaide Dunbar—Double—Red mauve. 12-18"; 18-24"; 2-3'; 3-4'
Alphonse Lavalle—Double—Light red purple. 12-18"; 18-24"; 2-3'; 3-4'
Belle de Nancy—Double—Light violet red. 12-18"; 18-24"; 2-3'; 3-4'
Captain Baltet—Single—Light violet. 12-18"; 18-24"; 2-3'; 3-4'



HYBRID LILACS—You can't find better. Variety list covers full color range. See special price on our selection.

Captain Perrault—Double—Rose mauve. 12-18"; 18-24" Charles Joly—Double—Medium violet red. 12-18"; 18-24"; 2-3'; 3-4' Charles Tenth—Single—Dull red purple. 12-18"; 18-24"; 2-3' Congo—Single—Deep violet red. 18-24"; 2-3' Florent Stepman—Single—White large flower. 12-18"; 2-3' Georges Bellair—Double—Medium red mauve. 12-18"; 18-24"; 2-3'; 3-4' Hugo Koster—Single—Light red mauve. 12-18"; 18-24"; 2-3' Jan Van Tol-—Single—White. 12-18"; 18-24"; 2-3' John de Messmaker—Single—Light violet red. 12-18"; 18-24"; 2-3'; 3-4' Katherine Havemeyer—Double—Light violet purple. 12-18"; 18-24": 2-3' Leon Gambetta—Double—Light mauve. 12-18"; 18-24"; 2-3' Leon Mathieu—Single—Deep violet red. 18-24"; 2-3' Le Printemps—Double—Pale abelia lilac. 12-18": 18-24"; 2-3'; 3-4' Ludwig Spaeth—Single Purple violet red. 12-18"; 18-24"; 2-3'; 3-4' Mme. Casimier Perrier—Double—Creamy white. 12-18"; 18-24" Mme. F. Morel—Single Light mauve. 12-18"; 18-24"; 2-3" Mme. Lemoine—Double -White. 12-18"; 18-24"; 2-3'; 3-4'

Marechal Lannes -Double—Light violet. 12-18"; 18-24"; 2-3'

Marie LeGraye Single—White, 12-18"; 18-24"; 2-3'

CAMPANICA			
Massena—Single—Deep purplish red. 12-18"; Michel Buchner—Double—Pinkish lilac. 12-1 Mirabeau—Single—Early flowering. Purplish	8"; 18-2	4"; 2-3'	
Olivier de Serres—Double—Bluish mauve. 12-18	8" • 18-24	,	
Paul Hariot—Double—Red mauve. 12-18"; 18			
Paul Thirion—Double—Red mauve. 12-18";			
Pres. Grevy—Double—Light pink-lilac. 12-18	,		,
Pres. Poincare—Double—Clear red-purple. 12-13			
Reaumur—Single—Clear purple red. 12-18"; 18			
Rubra de Marly—Single—Pale lilac-red. 12-18"			
Volcan—Single—Deep violet red. 12-18"; 18			
Wm. Robinson—Double—Red violet-purple.	-	*	
*Our variety list is very large, covering listed here. If you desire to leave your there will be a 5ϕ per plant reduction.			
Above varieties at following prices:			
12 to 18 in	.55	.45	.35
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	$\boldsymbol{1.25}$	1.05	.85
TAMARIX gallica, 8'-9'		French Ta	marix
Deciduous. Light pink in panicles, Magreen appearing foliage.	ay-June.	Blue-Green	ever-
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	$.\overline{35}$
3 to 4 ft	.70	.55	.45
— parviflora, 12'-14' Panicles of pink flowers. Foliage as abov	e.	Algerian Ta	marix
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— pentandra, 12'-15'	17.5		
_		vestamen Ta	
Slender and spreading growth. Pink flow dry or sandy soils.			
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
TAXUS — THE YEV	VS		
TAXUS baccata, 50'		Englis	h Vow
•	J D	_	n iew
Dark green foliage. Broad vased pyrami			
2 to 3 ft., B&B	5.50	4.50	
3 to 4 ft., B&B	7.50	6.00	
erecta, 10' Upright form of Taxus baccata.	ight Sho	rtleaf Englis	h Yew
18 to 24 in., B&B	5.00	4.00	
2 to 2 ½ ft., B&B	$\frac{6.00}{6.00}$	$\begin{array}{c} 4.00 \\ 5.00 \end{array}$	
2 ½ to 3 ft., B&B	8.00	6.50	
3 to 3 ½ ft., B&B	10.00	8.00	



TAXUS CUSPIDATA AND CUSPIDATA NANA—These are beautiful well-grown plants. Our prices are right.

	Unit Price in Quantities		
	1-9	10-49	50-249
TAXUS baccata repandens, 18"-24"	Spread	ding Engli	sh Yew
Spreading. Horizontal branches. Dark a low planting.	green folia	ige. Excell	ent for
9 to 12 in., B&B	1.90	1.50	$\boldsymbol{1.25}$
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.75	3.00	2.50
— — tardiva, 15'		leaf Engli	sh Yew
Low irregular habit. Long spreading by	ranches.		
12 to 15 in., B&B	2.25	$\boldsymbol{1.90}$	1.50
15 to 18 in., B&B	3.40	2.80	2.25
— cuspidata, 10'-15'	Spreading Japanese Yew		
Rich, deep green leaves. Spreading, bush			
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B			2.25
18 to 24 in., B&B	5.25	4.40	3.50
— — capitata, 25'-40'	-	ght Japane	ese Yew
Upright form of cuspidata, Broad pyrar	nid.		
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2 ½ ft., B&B	6.00	5.00	$\frac{4.00}{5.00}$
$2\frac{1}{2}$ to 3 ft., B&B	7.50	6.00	5.00
3 to 4 ft., B&B	10.00	8.00	6.50
— — nana (brevifolia), 2'-3'		arf Japane	
Broad, thick leaves, very dark green.	Dwarfish a	and irregu	lar
spreading habit. Very hardy.	0.00	4.00	4 . P . A
9 to 12 in., B&B	2.20	$\frac{1.90}{2.00}$	1.50
12 to 15 in., B&B	3.40	2.80	2.25
15 to 18 in., B&B	5.25	4.40	3.50



TAXUS HATFIELD, NANA AND HICKSI—Clean, thrifty, heavy branched material. This is the kind of stock that will make you money.

	Unit Pric	ee in Quai 10-49	ntities 50-2 49
TAXUS cuspidata sieboldi, 10'-15'	rge Berrie	ed Spread	ing Type
A selected strain of Taxus cuspidata. F	ruit large	e, borne i	n profu-
sion.			
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	7.00	5.00	3.75
2 to 2 ½ ft., B&B	8.50	7.00	5.50
— — thayeri, 6'-8'	Thaye	rs Spread	ing Yew
Low, wide, spreading form. Dark green.			
12 to 15 in., B&B	$\boldsymbol{2}.\boldsymbol{2}5$	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.25	4.40	3.50
2 to 2½ ft., B&B	7.50	6.00	5.00
— wellesleyana		Welle	sley Yew
A fine selected spreading type of cuspid	ata.		
12 to 15 in., B&B	2.60	2.20	
15 to 18 in., B&B	3.75	3.00	
18 to 24 in., B&B	7.00	5.00	
2 to 2½ ft., B&B	9.00	7.00	
— intermedia, 12'-15'		Hy	brid Yew
Hybrid between baccata and cuspidata.			
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.25	4.40	3.50

TAXUS media browni, 10'-12'	Br	oad Uprigh	t Yew
An outstanding variety. Excellent dark green foliage. Com-			
pact, medium spreading. Shears well. Can be used as a speci-			
men for hedge or foundation planting	ig. Full a	and tight at	base.
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	5.25	4.40	3.50
brevimedia, 8'-10'		Broad Upri	ight Yew
Hardy, broad, upright form. Dark gree	n.		
18 to 24 in., B&B		3.75	
2 to 2½ ft., B&B		5.50	
2½ to 3 ft., B&B		7.50	
— — hatfieldi, 8'-10'		Hatf	ield Yew
Similar to Hicks Yew, but more compa	ct.	Hati	icia icw
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B		2.80	2.25
18 to 24 in., B&B		4.00	3.25
2 to 2½ ft., B&B		5.50	4.50
2 ½ to 3 ft., B&B		8.00	6.50
— hicksi, 20'-25'		Н	icks Yew
Columnar form with upright branches	•		
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B		3.75	3.00
2 to 2 ½ ft., B&B	6.00	$\boldsymbol{5.00}$	4.00
2 ½ to 3 ft., B&B		6.00	5.00
3 to 4 ft., B&B	12.50	10.00	8.00
THORN, FLOWERING (See CRATAEGUS)			
THUJA — Arborvi	tae		
THUJA occidentalis compacta, 2½'-4'		Parsons A	rborvitae
Bright green. Almost globe shaped.			
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B		1.90	1.50
— — elegantissima, 10'-15'.	Gold	entipped A:	rborvitae
Evergreen. Brances tipped with yellow			
12 to 18 in., B&B		1.40	1.25
18 to 24 in., B&B		1.90	1.50
— globosa, 3'-4'		Globe A	rborvitae
Rich green. Globe shape.		Globe M	1001 11040
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B		1.90	1.50
18 to 24 in., B&B		2.50	2.00
— hoveyi, 3'-4'		Hovey A	rborvitae
Evergreen. Oval in shape, nearly as l	oroad as		
foliage.			
9 to 12 in., B&B		.95	.75
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B		$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$
18 to 24 in., B&B	3.00	2.50	2.00



TAXUS MEDIA BROWNI, THUJA COMPACTA, AND THUJA PYRA-MIDALIS—Popular quality material, reasonably priced.

	Unit Price in Quantities		
	1-9	10-49	50-249
THUJA occidentalis lutea, 10'-15'	George P	eabody A	rborvitae
Columnar outline. Golden yellow foliag	ge.		
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B		3.00	2.50

— migra, 15'-30'			
New improved strain of America	an Arbory	ritae; mor	e sym-
metrical in form, deeper in color e	specially d	luring the	winter.
Grown from cuttings. Very desira	ble. The	best of th	e taner
Arborvitaes. Dark green. Compact			
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50
ο to τ it., bαb	J. = J	5.50	4.50

— pyramidalis, 15'-30'	Pyramidal Arborvitae		
Bright, rich green. Narrow columnar sha		1 05	1 00
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.90	4.00	3.25
4 to 5 ft., B&B	6.35	5.30	4.25
5 to 6 ft., B&B	9.00	7.50	6.00



THUJA NIGRA—Dark American Arborvitae. The most satisfactory Arborvitae of this type.

THUJA occidentalis wareana, 12'-15' Siberian Arbor			orvitae
Light green. Fleshy foliage. Broad pyran	mid. Very	adaptable	
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	$\boldsymbol{1.25}$
2 to 2½ ft., B&B	2.60	2.20	1.75
BIOTA or CHINESE ARBO	RVITAE	}	
— orientalis aurea nana, 2½'-3' Ber	ckmans	Golden Arb	orvitae
Rich golden yellow foliage. Compact, ro	undish sl	nape.	
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.25	1.90	
— plicata atrovirens (lobbi), 100'		Giant Arb	orvitate
Rich shining deep green fleshy foliage.			
3 to 4 ft., B&B	5.00	4.00	3.25
4 to 5 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B	9.00	7.50	6.00
6 to 7 ft., B&B	12.00	10.00	8.00
— standishi, 25'-40'	St	andish Arb	orvitae
Hardy evergreen of broad pyramidal ha	abit.		
18 to 24 in., B&B	3.40	2.80	
2 to 3 ft., B&B	4.50	3.75	
3 to 4 ft., B&B	6.00	5.00	

Unit	Price	in	Qua	ntities
1-9		10-	49	50 - 249

TILIA — THE LINDENS

TILIA — THE LIND	ENS		
TILIA americana, 75'-90'		American	Linden
Fast growing, forming open head. Frag	grant yello		
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 12 ft., 1 3/4 to 2 in		4.40	3.50
12 to 14 ft., 2 to 2 ¼ in	6.75	5.50	4.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	7.50	6.00
— cordata, 70'	Littleleaf	European	Linden
Small leaves. Forms very symmetrical		- aropour	
12 to 14 ft., 2 1/4 to 2 1/2 in		8.00	
— platyphyllos, 70'	Bigleaf	European	Linden
Large leaves. Early blooming. Symmetric planting.			
9 to 11 ft., 1½ to 2 in	6.00	5.00	
1 0 to 12 ft., 2 to 2 ¼ in	7.50	6.25	
— vulgaris (europaea), 70'-90'		European	Linden
Compact and symmetrical. Fragrant flo	wers late	_	
14 to 16 ft., 3 to 3½ in	15.00	12.50	10.00
14 to 16 ft., 3½ to 4 in	17.50	15.00	
THE HEMLOG	CKS		
TSUGA canadensis, 75'-90'		Canada I	
Most graceful and adaptable. Excellent ing. Shears well.			_
1 ½ to 2 ft., B&B		1.90	1.50
2 to 2 ½ ft., B&B		2.80	2.25
2 ½ to 3 ft., B&B		4.05	3.25
3 to 4 ft., B&B		5.50	4.50
4 to 5 ft., B&B 5 to 6 ft., B&B		7.50	6.00
5 to 6 It., B&B	14.70	10.60	
ULMUS americana, 80'-100'		Ameri	can Elm
Medium fast growing. Stately. Very des	sirable nat		
6 to 8 ft		.95	.75
8 to 10 ft	1.90	1.50	$\boldsymbol{1.25}$
8 to 10 ft., 1¼ to 1½ in	2.60	2.20	1.75
9 to 11 ft., 1½ to 1¾ in	3.40	2.80	2.25
10 to 12 ft., 1 3/4 to 2 in	4.10	3.50	2.75
11 to 13 ft., 2 to $2\frac{1}{2}$ in	5.25	4.40	3.50
— campestris, 80'-100'		Engl	ish Elm
Smooth bark. A desirable medium grov	ving tree.		
and angular in form.			_
8 to 10 ft., 1 1/4 to 1 1/2 in		2.50	2.00
10 to 12 ft., 1½ to 1¾ in		3.00	2.50
11 to 13 ft., 1 ¾ to 2 in		4.05	3.25
11 to 13 ft., 2 to $2\frac{1}{2}$ in	6.75	5.50	4.50

VACCINIUM corymbosum, 5'-6'	Hi	ghbush Blu	eberry
Collected — Transplanted. Good native shrub. Flowers and fruit l Rich autumn coloring.	beautiful.	Prefers aci	d soil.
$1\frac{1}{2}$ to 2 ft., B&B	$\begin{matrix}2.25\\3.00\end{matrix}$	$\substack{1.90\\2.50}$	$\begin{smallmatrix}1.50\\2.00\end{smallmatrix}$
VIBURNUM acerifolium, 4'-5'	Ma	apleleaf Vib	urnum
White flowers, May, June. Maple-like I fall. Good in dry, shady places.	leaves tur	ning to pur	ple in
12 to 18 in	$\begin{array}{c} \textbf{.45} \\ \textbf{.60} \end{array}$	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} \textbf{.30} \\ \textbf{.40} \end{array}$
— americanum (trilobum), 8'-9'	Americ	an Cranber	rybush
Good foliage. Bright scarlet berries all	winter.		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— burkwoodi, 4'	Bu	rkwood Vib	urnum
Medium open growing. Pinkish white fl	owers, Ma	ay, June. Ve	ry fra-
grant.			
12 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.60	2.20	1.75
2 to 2 ½ in., B&B	3.40	2.80	2.25
2 ½ to 3 ft., B&B	5.00	4.00	3.25
— cassinoides, 5'-6'		Wi	the-rod
White flowers, May-June. Pink berries foliage coloring. Good planted near wat	change to er.	blue. Rich a	autumn
19 to 18 in	.45	.37	.30
12 to 18 in		$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{matrix} .30 \\ .40 \end{matrix}$
12 to 18 in. 18 to 24 in. 2 to 3 ft.	.60		
18 to 24 in	.60 .75	.50 .60	.40 .50
18 to 24 in	.60 .75	.50 .60	.40 .50
18 to 24 in	.60 .75 berries. F	.50 .60 Arro Purple and	.40 .50 owwood red au-
18 to 24 in	.60 .75 berries. I	.50 .60 Arro Purple and .30 .45	.40 .50 owwood red au- .25 .35
18 to 24 in	.60 .75 berries. I	.50 .60 Arro Purple and	.40 .50 owwood red au-
18 to 24 in	.60 .75 berries. I	.50 .60 Arrourple and .30 .45 .55	.40 .50 owwood red au- .25 .35 .45
18 to 24 in. 2 to 3 ft	.60 .75 berries. F	.50 .60 Arro Purple and .30 .45 .55	.40 .50 owwood red au- .25 .35 .45
18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome.	.60 .75 berries. I .37 .55 .70	.50 .60 Arro Purple and .30 .45 .55	.40 .50 owwood red au- .25 .35 .45
18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome. 18 to 24 in.	.60 .75 berries. I .37 .55 .70	.50 .60 Arroverse and .30 .45 .55 Linden Vil	.40 .50 owwood red au- .25 .35 .45 burnum
18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome.	.60 .75 berries. F .37 .55 .70	.50 .60 Arroverse and .30 .45 .55 Linden Vilberries per	.40 .50 owwood red au- .25 .35 .45 burnum resisting.
18 to 24 in. 2 to 3 ft	.60 .75 berries. F .37 .55 .70	.50 .60 Arroverse and .30 .45 .55 Linden Vilberries per .45 .60 .95	.40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
18 to 24 in	.60 .75 berries. F .37 .55 .70	.50 .60 Arroverse and .30 .45 .55 Linden Vilberries per .45 .60 .95	.40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
18 to 24 in. 2 to 3 ft. — dentatum, 10'-12' White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — dilatatum, 8'-9' White flowers in May and June. Scar Very handsome. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — lantana, 15'-18' White flowers, May-June. Dark green changing to black.	.60 .75 berries. F .37 .55 .70 let showy 55 75 10	.50 .60 Arroverse and .30 .45 .55 Linden Vilberries per .45 .60 .95	.40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75
18 to 24 in	.60 .75 berries. F .37 .55 .70 let showy 55 .75 .110	.50 .60 Arroverse and .30 .45 .55 Linden Vilberries per .45 .60 .95 Wayfar foliage. Red	.40 .50 owwood red au- .25 .35 .45 burnum rsisting. .35 .50 .75

	Unit Pi 1-9	rice in Qu 10-49	nantities 50-249
VIBURNUM lentago, 18'-20'			Jannyberry
White flowers, May, June. Glossy foliage.	Rlug_h		•
18 to 24 in 2 to 3 ft	.37	.30	
3 to 4 ft	$\begin{array}{c} .55 \\ .70 \end{array}$.45	
4 to 5 ft	1.00	.55	
5 to 6 ft	1.00 1.25	$\begin{matrix}.80\\1.05\end{matrix}$	
— molle, 10'-12'	T.	Zentucky.	Viburnum
White flowers, May, June. Large dark coloring.		-	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.30	
3 to 4 ft	.70	.55	
4 to 5 ft	.90	.75	
— opulus sterile, 9'-10'		Common	Snowball
White flowers, May, June. Very showy.		Common	Showban
12 to 18 in	.45	.37	2.0
18 to 24 in.	.60	.50	
2 to 3 ft	.75	.60	
401.401			
— prunifolium, 10'-12'	• ,		Blackhaw
White flowers, May, June. Blue-black fru			
12 to 18 in	.60	.50	
18 to 24 in	.75	.60	
2 to 2 ½ ft	.90	.75	
2 ½ to 3 ft	1.05	.90	
3 to 4 ft	1.50	1.25	1.00
— sieboldi (japonicum), 9'-10'		Siebold	Viburnum
White flowers, May, June. Pink fruits chagreen foliage.	anging	to black.	Rich dark
18 to 24 in	.55	.45	.35
2 to 3 ft	.75	.60	
3 to 4 ft	1.10	.95	.75
— tomentosum, 7'-8'	D	oublefile	Viburnum
White flowers borne in flat heads, June.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	
— — plicatum 7'-8'		Japanese	e Snowball
Showy white flowers in balls in June. Ri	ich han	-	
purple autumn coloring.			_
12 to 18 in	.70	.55	.45
18 to 24 in	.90	.75	.60
2 to 3 ft	$\begin{array}{c} 1.10 \\ 1.30 \end{array}$	$\begin{matrix} .95 \\ 1.10 \end{matrix}$	$\begin{array}{c} .75 \\ .90 \end{array}$
VINCA minor, 6"-8"			or Myrtle
Trailing evergreen. Glossy foliage. Blue figround cover in sun or shade.	lowers	in spring.	Excellent
3 in. pots, 2 year	.30	.25	.20
-			



Aero-Mist Spraying—With this modern equipment large areas can be covered very quickly with a blanket of spray material.

spray mater	ial.	
		tities 50-249
ay-green sta	ar shaped	leaves.
0.7		.25
		.35
		.45
70	.00	.10
	White V	Weigelia
	0.5	.30
		.35
		.45
.70	.55	64.
Red	lflowered '	Weigelia
t. Rich folia	ige.	
45	.37	.30
55	.45	.35
75	.60	.50
1.00	.80	.65
he best pink	k Weigelia	•
55	.45	.00
70	.55	.45
		.55
85	.70	.02
	Unit Price 1-9 arge-leaved ay-green st37557045557086 t. Rich folia455575100 he best pink55	arge-leaved Lilac Cha ay-green star shaped 37 .3055 .4570 .55 White V 45 .3755 .4570 .55 Redflowered V t. Rich foliage

	Unit Pr 1-9	rice in Qua 10-49	ntities 50-249
WEIGELIA floribunda, 8'		Crimson	Weigelia
Upright growing shrub with crimson flo	wers		
	.45	.37	.30
18 to 24 in.			.35
2 to 3 ft.	.55	.45	
3 to 4 ft	.70	.55	.45
— Gustav Mallot 6'-8'		Rose Red	Weigelia
Rose-red, June-August. Good grower.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— nana variegata, 6'-8'	Varie	gated Leaf	Weigelia
Pale pink flowers; variegated leaves.			
12 to 18 in	.37	.30	.25
18 to 24 in.	.45	.37	.30
	.60	.50	.40
2 to 3 ft	.00	.50	.10
— rosea (florida rosea), 7'-8'			Weigelia
Pink flowers, June. Strong grower. Goo	d foliage	Э.	
12 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
	.75	.60	.50
4 to 5 ft		.00	.00
WILLOW (See SALIX)			
WISTERIA floribunda macrobotrys (Multi	ijuga),	35'-50' ongcluster	Wistoria
Has long drooping racemes of purple			
cover a trellis or pergola.			
2 year grafts	.45	.37	.30
YEW (See TAXUS)			
,			
			
ZANTHORHIZA apiifolia, 2'-3'		Y	ellowroot
(Xanthorhiza simplicissima)			
Small purplish flower, May, June. Ex well in dry sandy soil and banks.	cellent	ground co	ver. Does
9 to 12 in., 2 year	.30	.25	.20
9 to 12 in., 2 year	27	3.0	.26

PEACHES

12 to 15 in., 3 year.....

15 to 18 in., 3 year

.30

.45

.37

.55

.20

.35

Belle of Georgia—Fine quality. White, red cheek. Large freestone. An excellent variety. Ripens mid-season.

Elberta—Yellow freestone. Fruit of large size. Most popular commercial variety. Ripens mid-season.

Golden East-Good size. Yellow freestone. Quality is good and is adapted to light soils. Ripens two weeks before Elberta.

- Golden Jubilee—A New Jersey introduction. An excellent early yellow peach. Freestone. Good flavor. Ripens just before Hale Haven.
- Hale Haven—Yellow freestone. Good size. Bright red color. Excellent flavor. Rugged grower and hardy in fruit bud. Good variety. Ripens just after Golden Jubilee.
- J. H. Hale—Large size. Highly colored yellow freestone. Requires cross pollinization. Ripens about with Elberta.

Ollimization: 201pollo			
1 in. up, 5 ft. up	.90	.75	.60
11/16" up, 4½ ft. up	.70	.55	.45
9/16" to 11/16" 4 ft. up	.55	.45	.35
7/16" to 9/16" 3 ft. up	.37	.30	.25
5/16" to 1/16" 2 ft. up	.27	.22	.18
18 to 24 in	.22	.20	.15
10 10 24 111			

PEAR TREES

Bartlett-Most popular. Ripens in September. 3-4', 4-5', 5-6', 6-7'.

Beurre Bosc—Large, bronzy-yellow. Flesh white, rich and delicious Gourd shaped. Oct.-Jan. 3-4', 4-5', 5-6'.

Clapps Favorite—Large, resembling Bartlett; yellow. Fine texture; delicate flavor. Very hardy. Aug.-Sept. 3-4', 4-5', 5-6'.

Kieffer—Large fruit. Yellow with blush. Good canning pear. Ripens October and November. 3-4', 4-5', 5-6', 6-7'.

Seckel—Small fruit. Yellowish brown. Sweet. Extremely high quality. Juicy. Ripens October. 2-3', 3-4', 4-5', 5-6'.

2 yr., 6 to 7 ft	1.65	1.35	1.10
2 yr., 5 to 6 ft		1.05	.85
2 yr., 4 to 5 ft	1.00	.80	.65
2 yr., 3 to 4 ft	75	.60	.50
2 yr., 2 to 3 ft	55	.45	.35

GRAPE VINES

	1-9	10-49
Agawam—Red. 2 year No. 1	.22	.20
Caco—Red. 2 year No. 1	.22	.20
Fredonia—Early black. 2 year No. 1	.22	.20
Niagra—White, 2 year No. 1	.22	.20

HYBRID BLUEBERRIES

Three of the best varieties.

Jersey—Large good flavored berries. Ripens with Rubel.

Rancocus—Earlier than Rubel. Heavy bearer.

Rubel—Heavy bearing, Late, Good quality.

Plant three varieties for proper pollinization.

9	to	12	in	.45	.37	.30
12	to	15	in	.60	.50	.40

APPLES

- Baldwin—An old favorite. Firm dark red fruit. Excellent for eating and cooking. Winter variety. 5'.
- Cortland—McIntosh type but ripening later. Bright red, distinct stripes. vigorous. Bears young. 4', 5', 6'.
- **Fall Pipnin**—Excellent quality. Golden yellow. Good cooking variety. Ripens September. 5', 6'.
- Grimes Golden—Medium large. Spicy flavor. Ripens November to February. 5', 6'.
- Petrel—Green with red stripe. Good for cooking and eating. Ripening in the fall. Resembles McIntosh in flavor. 4', 5', 6', 7'.
- Red Delicious—An improved strain of Delicious. Large red. Good shipper. Fine quality. Ripens October to March. 4', 5', 6', 7'.
- Rome Beauty—Good quality. Keeps well. Large, smooth, yellow striped red. Ripens November to May. 4', 5', 6'.
- Yellow Delicious—Large, bright yellow. Good quality. Ripens October to April. 4', 5', 6'.
- Yellow Transparent—Medium size. Very hardy. Ripens July and August. 4', 5', 6'.
- Wealthy—Pale yellow, striped with red. Excellent cooking variety. Ripens October to January. 4', 5', 6'.

1" up, 7 ft. up	1.30	1.10	.90
3/4" up, 6 ft. up	1.10	.90	.75
11/16" up, 5 ft. up	.75	.60	.50
9/16" to 11/16", 4 ft. up	.60	.50	.40

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea Lonicera and others	l ,	.30
GROUP B—Shrubs, 3 yr. Average 3 ft. or	_	
more, including all good ornamenta varieties same as above		.35
GROUP C—Special, 3 and 4 yr. Shrubs Average 4 ft. or more, including al good ornamental varieties as above	1 e	
with the addition of some of the bette varieties of Viburnum, etc		.40

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS